

| CMAJ - Canadian Medical Association Journal | | | | | | |
|--|-----------------------|--------------|---------------|----------------|-------------|------|
| Results from CMA's 2000 Physician Resource Questionnaire | | | | | | |
| Practice Setting | | | | | | |
| | Number of respondents | Non-clinical | Solo clinical | Group clinical | No Response | |
| Total | 2806 | 3.3% | 32.1% | 59.1% | 5.5% | 100% |
| Female | 918 | 3.4% | 22.7% | 66.2% | 7.7% | 100% |
| Male | 1888 | 3.3% | 36.7% | 55.6% | 4.4% | 100% |
| 34 and under | 247 | 0.8% | 21.9% | 69.6% | 7.7% | 100% |
| 35 - 44 | 905 | 1.9% | 24.2% | 68.7% | 5.2% | 100% |
| 45 - 54 | 879 | 4.9% | 31.1% | 59.0% | 5.0% | 100% |
| 55 - 64 | 532 | 4.1% | 44.5% | 47.7% | 3.6% | 100% |
| 65 and over | 243 | 3.7% | 48.6% | 37.4% | 10.3% | 100% |
| GP/FP | 1472 | 3.3% | 25.7% | 65.3% | 5.8% | 100% |
| Medical Specialist | 950 | 4.3% | 34.5% | 55.5% | 5.7% | 100% |
| Surgical Specialist | 384 | 1.0% | 50.8% | 44.3% | 3.9% | 100% |
| Rural | 253 | 2.4% | 20.9% | 68.4% | 8.3% | 100% |
| Urban | 2553 | 3.4% | 33.2% | 58.2% | 5.2% | 100% |
| Note: Group = shared patients and/or expenses | | | | | | |