



## DIABETES FACT SHEET SOURCES

- Boctor, M.A. (2003). Diabetes mellitus. In J. Gray (Ed.), *Therapeutic choices* (805 p.). 4th ed. Ottawa: Canadian Pharmacists Association
- Buchanan, T.A. and Xiang, A.H. (2005). Gestational diabetes mellitus. *Journal of Clinical Investigations*, 115, 485–491.
- Canadian Diabetes Association (2003). Clinical practice guidelines for the prevention and management of diabetes in Canada, *Canadian Journal of Diabetes*, 27 (2), pp S10-S13.
- Canadian Institute for Health Information. (2006). *Treatment of end-stage organ failure in Canada, 1995 to 2004* [2006 annual report].
- Coutinho, M., Gerstein, H.C., Wang, Y.i, et al. (1999). The relationship between glucose and incident cardiovascular events. A meta regression analysis of published data from 20 studies of 95,738 individuals followed for 12.4 years. *Diabetes Care*, 22, 233–240.
- Health Canada. (2007). *Eating Well with Canada's Food Guide*. Retrieved October 15, 2007, from [www.hc-sc.gc.ca](http://www.hc-sc.gc.ca).
- Health Canada. (2002). *Canada's Physical Activity Guide*. Retrieved October 15, 2007, from [www.phac-aspc.gc.ca](http://www.phac-aspc.gc.ca).
- International Diabetes Federation. Prevention. Retrieved October 15, 2007, from [www.idf.org](http://www.idf.org).
- Leiter L.A. et al. (2001). Diabetes Screening in Canada (DIASCAN) Study: Prevalence of undiagnosed diabetes and glucose intolerance in family physician offices. *Diabetes Care*, 24(6), 1038–1043.
- Public Health Agency of Canada. Economic Burden of Illness Database, Custom Tabulation, Retrieved May 15, 2007, from [www.phac-aspc.gc.ca](http://www.phac-aspc.gc.ca).
- Public Health Agency of Canada, Using National Diabetes Surveillance System (NDSS) data files contributed by all provinces and territories, as of October 31, 2007.
- Public Health Agency of Canada, *Diabetes in Canada – Second Edition (2002)*.
- Public Health Agency of Canada. Diabetes in Canada: Highlights from the National Diabetes Surveillance System 2004-2005.
- Norris, S.L. et al. Long-term effectiveness of weight-loss interventions in adults with pre-diabetes: A review. (2005). *American Journal of Preventive Medicine*, 28(1), 126–139.
- Rao S.S. et al. (2004). Impaired glucose intolerance and impaired fasting glucose. *American Family Physician*, 15, 69(8), 1961–1968.
- Statistics Canada. (2003). Canadian Community Health Survey (CCHS) *The Daily* (self-reported data). Retrieved October 15, 2007, from [www.statcan.ca](http://www.statcan.ca).

- Statistics Canada. (2004). Canadian Community Health Survey (CCHS) Cycle 2.2, Nutrition. *The Daily*. Retrieved October 15, 2007, from [www.statcan.ca](http://www.statcan.ca).
- Sullivan et al (2005), Obesity, Inactivity, and the Prevalence of Diabetes and Diabetes-Related Cardiovascular Comorbidities in the U.S.,2000–2002, *DIABETES CARE*, VOLUME 28, NUMBER 7, JULY 2005.
- Tuomilehto, J., Lindstrom, J., Eriksson, J.G., et al. (2001). Prevention of type 2 diabetes mellitus by changes in lifestyle among subjects with impaired glucose tolerance. *New England Journal of Medicine*, 344, 1343–1350.11.
- U.S. Department of Health and Human Services and American Diabetes Association. (March 27, 2002). HHS, ADA warn Americans of “pre-diabetes” [press release]. Washington, D.C.: DHHS. Retrieved May 15, 2007, from [www.hhs.gov](http://www.hhs.gov).
- World Health Organization (WHO). (n.d.) Global Database on Body Mass Index (BMI). Retrieved October 15, 2007, from [www.who.int](http://www.who.int).