



**Figure 1-1 Proportion of adults aged 15+ years who are daily smokers, Canada, 1977-1996/97.**




Source: Statistics Canada, catalogues 91-002, vol. 7, no. 3; 91-512;91-213. Canadians and smoking: An update. Health and Welfare Canada, 1991. General Social Survey, Statistics Canada, 1991. Survey on Smoking in Canada, Cycle 3, 1994. National Population Health Survey, Statistics Canada, 1996/97.

**Figure 1-2 Proportion of adults who are daily smokers by age group and sex, Canada, 1996/97.**




Source: Statistics Canada, National Population Health Survey, 1996/97

**Figure 1-3 Proportion of adults aged 15+ years who are daily or occasional smokers by sex and province, Canada, 1996/97.**



Source: Statistics Canada, National Population Health Survey, Cycle 2, 1996/97


**Figure 1-4 Proportion of adults aged 15+ years who are current or former smokers by income adequacy\* level, Canada, 1996/97.**



\*Income adequacy - based on the number of individuals and total income in a household.


Source: Statistics Canada, National Population Health Survey, 1996/97

**Figure 1-5 Proportion of daily smokers aged 15+ years who reported workplace smoking restrictions by sex, Canada, 1996/97.**




Source: Statistics Canada, National Population Health Survey, Cycle 2, 1996/97

**Figure 1-6 Proportion of adults who are physically inactive by age group and sex, Canada, 1996/97.**




Source: Statistics Canada, National Population Health Survey, 1996/97

**Figure 1-7 Proportion of adults who are physically inactive by province, Canada, 1996/97.**



Source: Statistics Canada, National Population Health Survey, Cycle 2, 1996/97


**Figure 1-8 Proportion of adults who report that they have high blood pressure by age group and sex, Canada, 1996/97.**



Source: Statistics Canada, National Population Health Survey, 1996/97




**Figure 1-9 Proportion of First Nations and Inuit adults who report having high blood pressure by age group and sex, Canada, 1997.**




Source: Assembly of First Nations, National Steering Committee, First Nations and Inuit Regional Health Survey 1997

**Figure 1-10 Proportion of adults who have high blood pressure by province, Canada, 1996/97.**




Source: Statistics Canada, National Population Health Survey, Cycle 2, 1996/97

**Figure 1-11 Proportion of adults who have had blood pressure measured by age group and sex, Canada, 1996/97.**




Source: Statistics Canada, National Population Health Survey, 1996/97.

**Figure 1-12 Proportion of adults who receive treatment for high blood pressure by age group and sex, Canada, 1996/97.**




Source: Statistics Canada, National Population Health Survey, 1996/97

**Figure 1-13 Proportion of women who are overweight by age group, Canada, 1996/97.**




Source: Statistics Canada, National Population Health Survey, 1996/97

**Figure 1-14 Proportion of men who are overweight by age group, Canada, 1996/97.**




Source: Statistics Canada, National Population Health Survey, 1996/97

**Figure 1-15 Proportion of adults who are overweight by province, Canada, 1996/97.**



Source: Statistics Canada, National Population Health Survey, Cycle 2, 1996/97


**Figure 1-16 Proportion of adults who have diabetes by age group and sex, Canada, 1996/97.**



Source: Statistics Canada, National Population Health Survey, 1996/97




**Figure 1-17 Proportion of First Nations and Inuit adults who report having diabetes by age group and sex, Canada, 1997.**



Source: Assembly of First Nations, National Steering Committee, First Nations and Inuit Regional Health Survey 1997

**Figure 1-18 Proportion of adults who drink alcohol excessively\* per week by age group and sex, Canada, 1996.**



\* Women drinking more than 9 drinks per week; men drinking more than 14 drinks per week

Source: Statistics Canada, National Population Health Survey, 1996/97