

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
A								
abdominal pain	7,10			1-3,9		3	5	
abortion								
therapeutic								7
alcohol								7,13
amine odour whiff testing	7,8			3				4,5
amiodarone		4						
amphotericin B								11
ampicillin/sulbactam penicillin.				6	8,9			
amsel criteria				3				
anal	2,10,11							
appendicitis				1,4				
aspirate								
epididymal		3						
asymptomatic	2	2,4		8	2,5-7	2,6	1-3	3,7-9,13
azithromycin			8			4	3,6	
B								
bacteria								
aerobic				1				
anaerobic	7			1,5-7				
facultative				1,5				
bacterial vaginosis (BV)				3,7				1,2,4,6-8
Behçet Disease			5					
benzathine penicillin G.						5		

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
bimanual exam	7			3				
biopsy			5,7					
endometrial				3,4				2
prostatic					8			
vulvar			5					
blood	10			3,4		3		
boric acid								10,11
breastfeeding								8,13
C								
c-reactive protein	7			3,4				
Campylobacter jejuni subsp. Jejuni	10					2		
cancer	11							1
candida			4				1	1,2,9,12
candidiasis								
vulvovaginal	8,9							1,2,6,9-12
carcinoma	11		5		10			
CD4								2
cephalosporin				5,7				
cefixime						4	3,6	
cefoxitin				6,7				
ceftriaxone				7				
cervical friability	4							
cervical motion tenderness	7			2,3				
cervix	9							
strawberry cervix	4							3

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
cesarean section								2,8
chancroid	5		1,3,4,6-9					
chlamydia (<i>Chlamydia trachomatis</i>)	1-4,6,9,10	1,3,4	1,8	1-3,8	5	2,3-6	1-3,5,6	1,6
ciprofloxacin			8	6,7	9	4		
circuit parties			2					
circumcision			1					
clindamycin				6				4,7,8
clotrimazole								9,10
clue cells	8			3				4,5
cocaine			1					
coliforms	6	1,2						
condoms								6,7,9-11
condylomata lata	11							
constipation	10					3		
corticosteroids								3,11
cryptosporidium						1		
D								
dark field microscopy	5		6,7					
dermatitis			5					1
diarrhea						3		
diplococci	3,6			4			2,6	
direct fluorescent antibody assay (DFA)	5		6				2	
discharge								
anal/rectal	10					4		

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
discharge cont'd								
cervical	4							
urethral	3,6	2					1,2,6	
vaginal	4,8,9			3				1,3,5,6
doxycycline			8	6,7	9	4	3,6	
dyspareunia	7							3
dysuria	8,9				7		1,2,5	3
E								
Ectoparasitic infestations								
scabies (<i>Sarcoptes scabiei</i>)			4					
edema		1,2	3					3,11
endometriosis				1				
endometritis				3				2,8
enteric	6,10					2,3,5		
enteritis	10					1-3		
enuresis							5	
enzyme immunoassay (EIA)			6				2	
epididymitis	6	1-4						
epididymo-orchitis		1						
erythema		1,2	3,5					
fallopian tube				3				
meatal	3						1,2	
multiform			5					
vulvar	8							3,11
erythromycin			8					

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
F								
fever	5-7,10	2	3	4	7	3	2	6
Fitz-Hugh-Curtis syndrome				8				
Fluconazole								9-11
flucytosine								11
fluorescent treponemal antibody absorption (FTA-ABS) test	5							
four-glass localization test					8			
G								
gastroenteritis				1				
genital ulcer disease (GUD)	5		1,5,7,9					
gentamicin				6	9			
<i>giardia lamblia</i>						2		
gonorrhea (<i>Neisseria gonorrhoeae</i>)	1-4,6,7,9,10	1,3,4		1,3-8		2-4,6	1-6	1,4,6
gram negative				4,5			2,6	4
gram positive					5			5
gram stain	3,4,6-8	3	6				2,4,6	4,5
granuloma inguinale (<i>Klebsiella granulomatis</i>)			1,3,4,6-9					
H								
hematochezia						3		
hematuria							2	

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
Henoch-Schönlein purpura		4						
hepatitis A virus (HAV) viral hepatitis	2							
hepatitis C virus (HCV) viral hepatitis	2		2					
Herpes Simplex Virus (HSV)	2-5,10		1,3-9	1,3		2,3,5	1,4	
heterosexual						2		
HIV/AIDS (Human Immunodeficiency Virus/ Acquired Immunodeficiency Syndrome)	2		1,2,7-9	4,8,9		1,5		2,6,8,12,13
human papilloma virus (HPV)	2,11							
warts (anal, genital, oral)								
hydrocele		2						
I								
infertility				2,5,8				
inflammatory bowel disease				1				
inguinal nodes			3					
interstitial								
cystitis					10			
intestinal and enteric infections						1-6		
intrauterine device (IUD)				9				2,3,7

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
itraconazole								10
K								
ketoconazole								10
L								
lactating				6,7				
lactobacilli								1,5,14
laparoscopy				3-5				
lymph node								
inguinal			3					
lymphadenopathy			1,3				2	
femoral			3					
inguinal	5							
lymphogranuloma venereum (LGV)			1,3,6-9			2-5		
M								
malaise			3					
men who have sex with men (MSM)	5		1-3,7					
metronidazole				5-7				4,7,8,13
miconazole								9
microhemagglutination for Treponema pallidum (MHA-TP)	5		6,7					
micropapillomatosis labialis / vestibular papillae	11							
microsporidium						1		

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
<i>Mobiluncus sp.</i>								1
mucopurulent								
discharge, cervical	4							4
discharge, rectal	10					3		
discharge, urethral							1,2,6	
exudates				3				
myalgia					5			
<i>Mycoplasma</i>								
<i>genitalium</i>				1			1,4	
<i>hominis</i>				1	5			
N								
nausea				4		3		
nocturia							2	
non-treponemal test (NTT)			6					
norfloxacin					9			
notification								
partner		4	8	8	10	6	3	8,12,13
nucleic acid amplification test (NAAT)	2-7,9,10			4		3		
polymerase chain reaction (PCR)			6					
nystatin								11
O								
ofloxacin				6,7	9	4		

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
oral sex			2					
oral-anal	2					2		
oral-genital						2		
P								
<i>P aeruginosa</i>		1						
papanicolaou (pap smear, pap test)	2,11							
pearly penile papules	11							
pelvic inflammatory disease	7			1-9				2
perihepatitis				8				
polymorphonuclear leukocytes (PMN)	3,4,6						1,2,6	4
pregnancy				9				2,3,7-13
ectopic	7			2-5,8				
premature rupture of membranes (PROM)								2,8,13
preterm labour								2,8
prevention		2	2	2		2	1	2,14
primary				2				
primary care								2
proctitis						1-6		
proctocolitis			3			1-3		
prostatitis		1			1-10		4	
prostatodynia					2			
pruritus	8,9,11						1	1

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
pseudomonas		1	4		5			
pyoderma			5					
Q								
quinolones		3		5-7	9	4		
R								
rapid plasmid plasma reagin (RPR)			6,7					
rave			2					
reportable STIs			8					
resistance								
metronidazole								13
quinolone		3				4		
restriction fragment length polymorphism (RFLP)			7					
S								
serology	2,5,10		5-7,9			3	3	
serovar			7			2,4		
sex toys						2		
sex workers			1,2			2		
street youth						2	3	
stricture			3					
urethral							4	
swab	2-10	3	6	3		3	2,4	
syphilis			1-8			3,5,6		
primary syphilis			1,3,4,6			5		
secondary syphilis						5		

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
T								
tenesmus						3		
test of cure		3	9	6,7		4	3	
testicular		1-3			7			
torsion		2,3						
tetracycline			8	6,7				
topical therapy								8-12,14
travel			1,2,7,8					
<i>Treponema pallidum</i> particle agglutination (TP-PA)			6,7					
treponemal test			6					
trichomoniasis (<i>Trichomonas vaginalis</i>)	3,4,8,9			1	5			1-4,6,13,14
trimethoprim - sulfamethoxazole (TMP-SMX)			8		9			
tubal factor infertility				2				
tuberculosis		1						
<i>Mycobacterium tuberculosis</i>		1						
two-glass pre and post massage screening test					8			
U								
ulcer	5		1-7,9					

	Syndromic Management of STIs	Epididymitis	Genital Ulcer Disease (GUD)	Pelvic Inflammatory Disease (PID)	Prostatitis	Sexually Transmitted Intestinal and Enteric Infections	Urethritis	Vaginal Discharge
<i>Ureaplasma urealyticum</i>				1	5			
urethral	2,3,6	2			10		1,2,4,6	
urethritis		1,2	3		8,10		1-6	13
urinary tract infection (UTI)					1,6,7		4,5	
urine	2,3,6,7	3			8		2,4,5	
U.S. National Institutes of Health-Chronic Prostatitis Symptom Index					2-4			
V								
vaginal	4,7-9,11			3				1-14
Venereal Disease Research Laboratory (VDRL)	5		6,7					
vesicle			3,5					
viral load								2
vomiting				4				
vulvar intra-epithelial neoplasia (VIN)			5					
W								
wet-mount	4,7,8			3				4,5
white blood cell (WBC)				3				5
window period	2							