

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
A										
abdominal pain		2				3				
aboriginal								1		
abstinence								3, 4, 6		
aceto-whitening or aceto-acid testing					6, 9					
acyclovir				6, 7, 8, 10						
adefovir							7			
allergy										17
cephalosporin						9-11				
penicillin						9-11				11
alopecia										3
amoxicillin		7								
anemia								10		3
anogenital		1			1-4, 6, 9					
antibody										
antiHBc							4			
antiHBe							4			
antiHBs							1, 3-5			
antiHIV								3, 11		
antiHSV				1, 3, 5, 10						
homologous				4, 9						
IgG				4			4	12		5
IgM				4, 5			4			5
non treponemal										5
treponemal										5, 6, 14

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
anti-emetics						9				
Argyll Robertson pupil										3
arthralgia							3	9,17	2	
aspirate										
bubo	3								3,5,6	
epididymal						5				
nasopharyngeal		4								
assault, sexual						3		5,17		
asymptomatic		1,2,3,8		1,2,4-6,8-10	3,9,10	3,13	3	8-10,12,14,16		2,3,16
ataxia										3
atovaquone								15		
azithromycin	3	5-7				9,10,12		15	6	9
B										
bacterial vaginosis								2		
bartholinitis						2				
benzathine penicillin G										8-11,16
bichloroacetic acid					8					
biopsy					6			17		
endometrial		4								
blood						5,6,12	1,2,4,5	2-8,12,13,16		
blood borne pathogens								6,7	1	
donors							1	2,4,5		

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
bowenoid papulosis					4					
breastfeeding								7		
buboes									2,3	
burrow ink test			3							
C										
Canadian Adverse Drug Reaction Monitoring Program		5								
cancer					1,2,4-6			11,17		
candidiasis								9-11,15		
oroesophageal								9-11		
vulvovaginal										
carcinoma					3,5					
hepatocellular carcinoma							3			
CD4								1,6,9-15		7
cefixime						9-11				
ceftriaxone	3					9-12				9,10
cervical dysplasia					2,3			10,12		
atypical squamous cells of undetermined significance (ASCUS)					5					
cervical intra-epithelial neoplasia (CIN)					3					

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
high-grade squamous intra-epithelial neoplasia (HSIL)					3					
low-grade squamous intra-epithelial lesions (LSIL)					3					
cesarean section				8-10						
chancroid	1-3								6	7,13
chlamydia (<i>Chlamydia trachomatis</i>)						5-13		2,12,16	1,5,7	
ciprofloxacin	3					8,9				
circumcision	1									
cirrhosis							3			
clarithromycin		5						15		
clindamycin		7								
CO2 laser ablation					8					
colposcopy					5,6			17		
complement fixation									4,5	
condoms	1			2,3,5,6				4-6,8	1	
condylomata lata					4,9					3,5
condylomata acuminata					1,4,9					
conjunctivitis		2,5,6,9				2,3				
constipation									2	
contraception								7		

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
corticosteroids			1,4							
counselling				5,8,9	2,3,9			3-7,9,11,13,17		
harm reduction							2	7		
post-test counselling								3-6,11		
pre-test counselling								3,4,11		
crotamiton			4							
cryotherapy					8					
crystalline penicillin										11
<i>Cytomegalovirus</i> (CMV)								11,15		
D										
dapsone								15		
dark field microscopy										5,7,8
dermatitis			2,4			2				
diarrhea								9,10		
diplococci						5,7				
direct fluorescent antibody assay (DFA)	2	3,4								5,7,8
discharge					4					
anal/rectal						3			2	
cervical						7				
eye						12				
nasal										8
urethral		2				3,7				

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
discharge					4					
vaginal		2				3				
doxycycline		5-7				10			6	9
dyspareunia		2				3				
dysphagia								10		
dysuria		2				3				
E										
Ectoparasitic infestations										
pubic lice (<i>Phthirus pubis</i>)/ pediculosis pubis			1,4							
scabies (<i>Sarcoptes scabiei</i>)			3,5							
efavirenz								14		
electro-fulguration					8					
endocarditis						2,11				
enfuvirtide/ T20								14		
enteric								6		
enzyme immunoassay (EIA)				5				12		5
epididymitis						2,3,5,6				
epididymo-orchitis		2				3				
erythema			1		8					
erythromycin	3	5-7				12			6,7	16
excision					8,9				6	

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
extragenital inoculation									1	
F										
famciclovir				6,7			7			
femoral									2,7	
fever			1	2-4				9,10,17	2	3
fisting									1	
fluorescent treponemal antibody absorption (FTA-ABS) test										5-7
G										
gonorrhoea (<i>Neisseria gonorrhoeae</i>)		1,3,4,7				1-14		2,12,16		
gram negative	1,2					5,7				
gram stain	2					5-7				
granuloma inguinale (<i>Klebsiella granulomatis</i>)									6	
groove sign									2	
H										
haemorrhagic proctitis									2	
Health Canada Special Drug Access Program (SAP)						9-11				8
hemodialysis							2,3			

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
hepatitis A virus (HAV) viral hepatitis								6		
hepatitis B im-mune globulin (HBIG)							3,5			
hepatitis B virus (HBV) viral hepatitis							1-8	6,12,16		
hepatitis C virus (HCV) viral hepatitis							1	6	1,6	
hepatospleno-megaly										3
Herpes Simplex Virus (HSV)	1			1-11	2			2,6,10,11,16		
heterosexual				1,3				1		
highly active antiretrovi-ral therapy (HAART)								2,3,14,17		
HIV/AIDS (Hu-man Immuno-deficiency Virus/ Acquired Im-munodeficiency Syndrome)	1-3	7	3,5	6,8	2,5,6,9,10		1,2,7	1-17		1,2,4,7,9, 10, 13-16
human papillo-ma virus (HPV)		7			1-10			12,13,16,17		
warts (anal, genital, oral)					1-10			12		
Hutchinson's teeth										3
hydroxyzine			1							

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
I										
imiquimod					7					
immigrants							1			4
incarceration							1	2		
infantile hypertrophic pyloric stenosis (IHPS)		5				12				
infertility		2				3				
inguinal nodes									2	
injection drug use							1,2	1,3-8,12,16		
interferon										
alpha							7			
beta					9					
Internet										1
interstitial										
keratitis										3
intradermal nevi					4					
J										
Jarisch-Herxheimer reaction										17
K										
Kaposi sarcoma								1,10,11		
L										
lactating/nursing		5,7	2,4			9,10				
lamivudine(3TC)							7	14		
laparoscopy		4				4				

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
micropapillomatosis labialis / vestibular papillae					4					
molluscum contagiosum					4					
mucopurulent										
discharge, cervical						7				
discharge, urethral						3,7				
Mueller Hinton agar	2									
multiplex polymerase chain reaction (M-PCR)	2									
myalgia				3				9,17	2	17
<i>Mycobacterium avium</i> complex (MAC)								1,11,15,17		
N										
National Microbiology Laboratory (NML)				10					3-5	5
nausea							3	9		
needle-exchange								7		
neoplasia					3,4,6					
nevirapine								14		
non-treponemal test (NTT)										4,5,7,8,13-16

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
notification										
partner	3	8	5	9	10	1,13	7	4,5,16	7	13
nucleic acid amplification test (NAAT)	2	1,3,4,8				1,3-7,13,14			3-5,7	
polymerase chain reaction (PCR)	2	3		2,4						5,8
O										
ocular inflammatory disease									2	
ofloxacin		5				8,9				
ophthalmia neonatorum						12				
oral contraception					2					
oral sex								2,4	1,2	
oral-genital							3			
osteochondritis										3
P										
p24 antigen testing								3,11		
papanicoulau (pap smear, pap test)										
anal					6			12,17		
cervical					4,5					
parturition					8-10					
pearly penile papules					4					
pediculicide			2							

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
pelvic inflammatory disease		2,4				2,3				
pentamidine								15		
perihepatitis						2			2	
perinatal		9			2			6,7		
permethrin			2,4							
pharynx						4,6				
<i>Pneumocystis Jiroveci</i> pneumonia (PCP)								1,9,11,15		
pneumonia		2,3						1,9,11,15		
pneumonitis		6,9						11	2	
podofilox/ podophyllotoxin					7					
podophyllin					8					
point of care tests (POC)								11		
polymorphonuclear leukocytes (PMN)						7				
portal hypertension							3			
pregnancy		5-7		2,6,8,9	3,7,8,10	2,13	8	4		2,4,6,10,14,16,17
ectopic		2				3				
prenatal visit		2					8			
prevention	1	1	1,3	2	2,5	2	2,3	3,6,15	1	2
procaine penicillin										8
proctitis		2				2,3			2,3,7	

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
proctocolitis									2	
proctoscopy									3	
prodrome/al				2,4,6,7						
prophylaxis		6,9					2,3,8	4,8,15		
postexposure (PEP)							3,8	8		
pre-exposure							2			
pyoderma			3							
pyrethrin-piperonyl butoxide			2							
Q										
quinolones	3	6,7				1,8,9,13				
R										
rapid plasmid plasma reagin (RPR)										5-7,13,15
reinfection		2,8								5,15
Reiter syndrome		2				3				
reportable STIs		8		9		13	7	16		1,13
resistance		5,8		9				14		
antimicrobial						1,3,4,13				
azithromycin										9
metronidazole										
penicillin						1				
quinolone						1,8				
restriction fragment length polymorphism (RFLP)									3,4,7	

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
retinitis								11,15		3
rifabutin								13,15		
ritonavir								14		
S										
saquinavir								14		
sebaceous glands					4					
sepsis						3				
seroconversion				1,3,5				9		
serology		3,7					4	11,16	3-5,7	4,5,7,8,13
serovar		1							1,3-5	
sex toys									1	
sex workers	1									
shedding										
asymptomatic				1,2,4-6,8,9,10						
mucosal								9,16		
sigmoidoscopy									3	
skin tags					4					
spectinomycin						9-11				
stavudine (d4T)								14		
strand displacement amplification (SDA)									4	
street youth		1								
stricture									2	
sulfamethoxazole		6								
sulphur			4							

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
swab		3,4				3,4			3,5	
synovial fluid						5,6				
syphilis	2,3									1-17
congenital										1-4,7,8,11,13,14,16
latent (early, late)										1-3,5-10,13-16
neurosyphilis								17		3,7-9, 13-15
primary syphilis	2									2,3,5-7,9,10,13-16
secondary syphilis					4					1-3,5-7,9,10,13-16
tertiary syphilis										3,7-10,14
T										
tattoo								2,4		
test of cure		5-9				4,8-11,13,14			7	13
testicular		2				3				
torsion										
tetracycline						1				
thioglycolate hemin-based transport media	2									
toluidine red unheated serum test (TRUST)										5
topical therapy		5	1,2,4		8					
<i>Toxoplasma gondii</i>								15		

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
transcription mediated amplification (TMA)		3							4	
travel	1					2	2		6	
<i>Treponema pallidum</i> particle agglutination (TP-PA)										5,6
treponemal test										5-7,14
trichloroacetic acid					8,9					
trichomoniasis (<i>Trichomonas vaginalis</i>)								2		
trimethoprim - sulfamethoxazole (TMP-SMX)								15		
tuberculosis								6,11,13		
<i>Mycobacterium tuberculosis</i>								11,13		
Tzanck smear				4						
U										
ulcer	1,2			4,8				9,11,16	1	7,13
urethral		2-5,7			6,9	3-5,7,9-11			5	
urethritis		2		1		2				
urine		1,3,4		2		3,4,6		3	5	
uveitis										3
V										
vaccine										
hepatitis A virus								6,12,16		

	Chancroid	Chlamydial Infections	Ectoparasitic Infestations	Genital Herpes	Genital Human Papillomavirus (HPV)	Gonococcal Infections	Hepatitis B	Human Immunodeficiency Virus (HIV)	Lympho-granuloma Venereum (LGV)	Syphilis
hepatitis B virus							2-6	6,12,16		
herpes simplex virus				3						
human papilloma virus	3	7		8	2	12		16		
vaginal		2-4		2,9,10	7-9	3,4,11	1,3	2,4,6,8,10	1,5	2
vaginal bleeding		2				3				
valacyclovir				3,6-8						
Venereal Disease Research Laboratory (VDRL)										5-7,15
vesicle				3,4						
viral load								2,6,11-14		
viremia							3	9,10		
vomiting		5,7					3	9		
vulvar intra-epithelial neoplasia (VIN)					4					
W										
western blot				5				11,12		
window period						3		5		
Z										
zidovudine								14		