

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
A									
aboriginal		1						1	
abortion									
therapeutic									
abstinence				3,7,10				2	
abuse									
substance								1,2	
acyclovir				10					
alcohol		1,3	1,3			1,2		1,3,4,5	1,2
allergy									
cephalosporin						6			
penicillin				3,5					
amoxicillin				2,3					
anogenital	3	4	4,5	11					
antibody									
antiHBc	3			12				3	
antiHBe				12					
antiHBs	3			1,12	7	5		3	
antiHIV	2			12	7	5			
IgG				4,12					
IgM				4,12					
treponemal				4					
non treponemal				4					
artificial insemination				2					
aspirate					5				
vaginal					5				
assault, sexual					2,8,10,11	1-9			

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
azithromycin				2,3	9	6,7			
B									
bacterial vaginosis			2	2,7	5				
bare-backing			1						
bathroom			1,4						
benzathine penicillin G				5					
bimanual exam	4								
biopsy									
bisexual			1,2						
bleach kits		3							
blood		1							
blood borne pathogens					4	3			
boric acid				8					
breastfeeding				4, 12-14					
C									
candidiasis				8	5				
vulvovaginal				8					
cannabis								1,2,5	
CD4				14					
cephalosporin				3					
cefixime				3	9	6			
ceftriaxone				3,5					
cervical dysplasia		4,5	3,5,6				2		
cesarean section				2,10,11,13-15					

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
chancroid	3								3
chlamydia (<i>Chlamydia trachomatis</i>)		2,4	1,2,4,5	1-3	4,5,8,9	1,3,4,6,7	2		1,3
cholestasis				3,13					
Cialis			1					2	
ciprofloxacin						6			
circuit parties			1,4						
Citizenship and Immigration Canada (CIC)	2								
clindamycin				7					
CO ₂ laser ablation				11					
cocaine			1					1,5	
colposcopy						2			
condoms	4	2,3	2,3	3,10		2,7	1,2,3	1,3	1,2
conjunctivitis				2					
contraception						2,8			
Correctional Service Canada (CSC)		1,3							
CSC Infectious Disease Surveillance System		1							
counselling	1			1,5,10,14			2,3	2,3,6	
harm reduction		1,2,3,5	3,6					2,3	
patient centered counselling			2						
peer-counselling		3							
crack cocaine								1,2,5	

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
cryotherapy				11					
D									
diplococci						4			
direct fluorescent antibody assay (DFA)									
Disability Adjusted Life Years (DALY)							2		
discharge									
vaginal					4,5				
doxycycline				1-3		6			
E									
Ectoparasitic infestations									
pubic lice (<i>Phthirus pubis</i>)/ pediculosis pubis				9					
scabies (<i>Sarcoptes scabiei</i>)				9					
efavirenz				14					
emergency contraception						8			
endometritis				3,7					
enteric			2,5						
enteritis			5						
enzyme immunoassay (EIA)									
erythromycin				1-3					
excision				11					

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
F									
fever				6					
fisting	3	4	4						2
Fluconazole				8					
fluorescent treponemal antibody absorption (FTA-ABS) test				4					
forensic					3,4	2,3			
G									
gamma hydroxybutyrate (GHB)			1						
gammaglobulin				11					
gonorrhea (<i>Neisseria gonorrhoeae</i>)	3		1,2,4,5	1,2,3	4-6,8,9	1,3,4,6	1,2		1,3
gram negative						4			
gram stain					5,6	4			
H									
Health Canada Special Drug Access Program (SAP)				3,5					
hemodialysis	3								
hepatitis A virus (HAV) viral hepatitis			1	11				3	2
hepatitis B immuno globulin (HBIG)				12	10	7			

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
hepatitis B virus (HBV) viral hepatitis	3		1	2,12	7,10,11	5,7		2,3	2
hepatitis C virus (HCV) viral hepatitis	3,4		2	2,13	7,10,11	5,7		2	3
heroin								1,5	
Herpes Simplex Virus (HSV)				10	1,4,6,8				
heterosexual		3	1,2						
highly active antiretroviral therapy (HAART)				14					
HIV/AIDS (Human Immunodeficiency Virus/ Acquired Immunodeficiency Syndrome)									
homophobia			4						
human papilloma virus (HPV)		4,5	2-6	11	8				
warts (anal, genital, oral)				11					
I									
imiquimod				1,11					
immigrants	1-4								1,2
incarceration		1,2,3					1		
injection drug use	2,3	1	2					1,3,4	

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
interferon				1,11,13					
alpha				13					
Internet			1,4						
intestinal and enteric infections			2,5						
J									
Jarisch-Herxheimer reaction				6					
K									
ketamine			1						
L									
lactating				3					
Levitra			1					2	
Lindane (gamma benzene hexachloride)				1,9					
LSD								1,5	
lymph node			5						
lymphogranuloma venereum (LGV)	3		1						3
M									
medico-legal					5,6	4			
men who have sex with men (MSM)			1-6						
methadone		3						2	

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
methamphetamine (crystal meth)			1					1,5,6	
methylenedioxy-methamphetamine (MDMA, ecstasy)			1					6	
metronidazole				2,6,7	9	7			
miconazole				8					
microhemagglutination for Treponema pallidum (MHA-TP)				4					
Motherisk				1					
motivational interviewing			3					3	
N									
needle-exchange		3						2,4,6	
nevirapine				14,15					
nonoxynol-9 (N-9)			3				2		
non-treponemal test (NTT)						5			
notification									
partner	1,2,5	2,5	5		11	8	3	6	3
nucleic acid amplification test (NAAT)		4				3,4			
polymerase chain reaction (PCR)				3,10					

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
O									
ophthalmia neonatorum				3					
oral sex			1,2,5						
oral-anal		4	2,4		10	7	2		2
oral-genital					10	7			
P									
pediatric examination					3				
pelvic inflammatory disease				2					
perinatal				11,15	6				
permethrin				9					
pharynx					6				
pneumonia				2					
pneumonitis				10					
podofilox/ podophyllotoxin				1,11					
podophyllin				1,11					
point of care tests		5					2	6	
pregnancy				1-15					
intrapartum				14-15					
premature rupture of membranes (PROM)				6,7					
prenatal visit				1,14					
preterm labour				7					

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
prevention	1,2	2,3	2,3		2	1	1,2	2,3	2
proctoscopy			5						
prodrome/al				11					
prophylaxis				2,10,11,15	5,6,8-11				
postexposure (PEP)					10	7			
pruritus				9					
pseudomembranous colitis				7					
pyrethrin-piperonyl butoxide				9					
Q									
quinolones				1,3					
R									
rape	2					3			
rave			1,4						
refugee	1-4								
reinfection				7					
reportable STIs		5						6	
resistance									
quinolone						6			
ribavirin				1,13					
risk assessment	2	4	4,5					4	
S									
safe injection sites								2,3,6	
sepsis				3					
serology	2	4	4	2,4,10	9	7			

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
sex toys		4	2,4						
sex workers							1-3		1
shedding									
asymptomatic				10					
spectinomycin				3					
speed								1,5	
spermicide							2		
stavudine (d4T)								6	
stigma	1,2	1,5						2,6	
stillbirth				4,6					
street youth								1	
substance abuse		1				2		1,2	
substance use		3,4	4					1-6	
sulfamethoxazole				1					
swab	4	5	5		4-6			3	
syphilis									
congenital				4-6					
latent (early, late)				4,5					
secondary syphilis				4-6					
T									
tattoo	3	1,3,4							2,3
terconazole				8					
tetracycline				1					
topical therapy				7,8					
traditional medicine	4								

	Immigrants and Refugees	Inmates and Offenders	MSM / WSW	Pregnancy	Sexual Abuse in Peripubertal and Prepubertal Children	Sexual Assault in Peripubertal and Prepubertal Children	Sex Workers	Substance Use	Travellers
Venereal Disease Research Laboratory (VDRL)				4		5			
vertical transmission				1,2,10-14					
Viagra			1					2	
viral load				14					
vomiting						8			
W									
wet-mount				6	5,6	5			
window period									3
women who have sex with women (WSW)			1-6						
Z									
zidovudine				14,15					