

LAB DIAGNOSIS

References

1. Chernesky MA. Laboratory services for sexually transmitted diseases: overview and recent developments. In: Holmes KK, Sparling P, Mardh PA, et al, eds. *Sexually Transmitted Diseases*. 3rd ed. New York, NY: McGraw Hill; 1999: 1281–1294.
2. Schachter J, McCormack WM, Chernesky MA, et al. Vaginal swabs are appropriate specimens for diagnosis of genital tract infection with Chlamydia trachomatis. *J Clin Microbiol* 2003;41:3784–3789.
3. Chernesky MA. The laboratory diagnosis of Chlamydia trachomatis infections. *Can J Infect Dis Med Microbiol* 2005;16:39–44.
4. Chernesky M, Jang D, Chong S, Sellors J, Mahony J. Impact of urine collection order on the ability of assays to identify Chlamydia trachomatis infections in men. *Sex Transm Dis* 2003;30:345–347.
5. Sellors J, Lorincz AT, Mahony JB, et al. Comparison of self-collected vaginal, vulvar and urine samples with physician-collected cervical samples for human papillomavirus testing to detect high-grade squamous intraepithelial lesions. *CMAJ* 2000;163:513–518.
6. O'Brien SF, Bell TA, Farrow JA. Use of a leukocyte esterase dipstick to detect Chlamydia trachomatis and Neisseria gonorrhoeae urethritis in asymptomatic adolescent male detainees. *Am J Public Health* 1988;78:1583–1584.
7. Hedin G, Abrahamsson G, Dahlberg E. Urethritis associated with Chlamydia trachomatis: comparison of leukocyte esterase dipstick test of first-voided urine and methylene blue-stained urethral smear as predictors of chlamydial infection. *APMIS* 2001;109:595–600.
8. Van Dyck E, Ieven M, Pattyn S, Van Damme L, Laga M. Detection of Chlamydia trachomatis and Neisseria gonorrhoeae by enzyme immunoassay, culture, and three nucleic acid amplification tests. *J Clin Microbiol* 2001;39:1751–1756.
9. Shafer M, Moncada J, Boyer CB, Betsinger K, Flinn SD, Schachter J. Comparing first-void urine specimens, self-collected vaginal swabs, and endocervical specimens to detect Chlamydia trachomatis and Neisseria gonorrhoeae by a nucleic acid amplification test. *J Clin Microbiol* 2003;43:4395–4399.
10. Serlin M, Shafer MA, Tebb K, et al. What sexually transmitted disease screening method does the adolescent prefer? Adolescents' attitudes toward first-void urine, self-collected vaginal swab, and pelvic examination. *Arch Pediatr Adolesc Med* 2002;156:588–591.
11. Gaydos CA, Quinn TC, Willis D, et al. Performance of the APTIMA Combo 2 assay for detection of Chlamydia trachomatis and Neisseria gonorrhoeae in female urine and endocervical swab specimens. *J Clin Microbiol* 2003;41:304–309.
12. Clarke LM, Sierra MF, Daidone BJ, Lopez N, Covino JM, McCormack WM. Comparison of the Syva MicroTrak enzyme immunoassay and Gen-Probe PACE 2 with cell culture for diagnosis of cervical Chlamydia trachomatis infection in a high-prevalence female population. *J Clin Microbiol* 1993;31:968–971.
13. Mahony JB, Chernesky MA, Bromberg K, Schachter J. Accuracy of an IgM immunoassay for the diagnosis of chlamydial infections in infants and adults. *J Clin Microbiol* 1986;24:731–735.

14. Ng LK, Martin IE. The laboratory diagnosis of *Neisseria gonorrhoeae*. *Can J Infect Dis Med Microbiol* 2005;16:15–25.
15. Whittington W, Ison C, Thompson S. Gonorrhoea. In: Morse S, ed. *Atlas of Sexually Transmitted Diseases and AIDS*. 2nd ed. London: Mosby-Wolfe; 1996: 99–117.
16. Alfa M. The laboratory diagnosis of *Haemophilus ducreyi*. *Can J Infect Dis Med Microbiol* 2005;16:31–34.
17. Singh A, Preiksaitis J, Romanowski B. The laboratory diagnosis of herpes simplex virus infections. *Can J Infect Dis Med Microbiol* 2005;16:92–98.
18. Ashley RL. Sorting out the new HSV type specific antibody tests. *Sex Transm Infect* 2001;77:232–237.
19. Ratnam S. The laboratory diagnosis of syphilis. *Can J Infect Dis Med Microbiol* 2005;16:45–51.
20. Wicher K, Hororitz HW, Wicher V. Laboratory methods of diagnosis of syphilis for the beginning of the third millennium. *Microbes Infect* 1999;1:1035–1049.
21. Stoll BJ, Lee FK, Larsen S, et al. Clinical and serologic evaluation of neonates for congenital syphilis: a continuing diagnostic dilemma. *J Infect Dis* 1993;167:1093–1099.
22. Fearon M. The laboratory diagnosis of HIV infections. *Can J Infect Dis Med Microbiol* 2005;16:26–30.
23. Phillips KA, Bayer R, Chen JL. New Centers for Disease Control and Prevention's guidelines on HIV counseling and testing for the general population and pregnant women. *J Acquir Immune Defic Syndr* 2003;32:182–191.
24. Hirsch MS, Brun-Vezinet F, Clotet B, et al. Antiretroviral drug resistance testing in adults infected with human immunodeficiency virus type 1: 2003 recommendations of an international AIDS society–USA Panel. *Clin Infect Dis* 2003;37:113–128.
25. Coutlee F, Rouleau D, Ferenczy A, Franco E. The laboratory diagnosis of genital human papillomavirus infections. *Can J Infect Dis Med Microbiol* 2005;16:83–91.
26. Wright TC Jr, Cox JT, Massad LS, Twiggs LB, Wilkinson EJ; ASCCP-Sponsored Consensus Conference. 2001 consensus guidelines for the management of women with cervical cytological abnormalities. *JAMA* 2002;287:2120–2129.
27. Krajden M, McNabb S, Petric M. The laboratory diagnosis of hepatitis B virus. *Can J Infect Dis Med Microbiol* 2005;16:65–72.
28. Okada K, Kamiyama I, Inomata M, Imai M, Miyakawa Y. e antigen and anti-e in the serum of asymptomatic carrier mothers as indicators of positive and negative transmission of hepatitis B virus to their infants. *N Engl J Med* 1976;294:746–749.
29. Chu CJ, Hussain M, Lok AS. Quantitative serum HBV DNA levels during different stages of chronic hepatitis B infection. *Hepatology* 2002;36:1408–1415.
30. Lok AS, Zoulim F, Locarnini S, et al. Monitoring drug resistance in chronic hepatitis B virus (HBV)-infected patients during lamivudine therapy: evaluation of performance of INNO-LiPA HBV DR assay. *J Clin Microbiol* 2002;40:3729–3734.
31. Chernesky MA, Gretch D, Mushahwar IK, Swenson PD, Yarbough PO. Laboratory diagnosis of hepatitis viruses. *Cumitech* 1998;Nov:18A.
32. Garber GE. The laboratory diagnosis of *Trichomonas vaginalis*. *Can J Infect Dis Med Microbiol* 2005;16:35–38.

33. Beal C, Goldsmith R, Kotby M, et al. The plastic envelope method, a simplified technique for culture diagnosis of trichomoniasis. *J Clin Microbiol* 1992;30:2265–2268.
34. Hillier S, Arko R. Vaginal infections. In: Morse S, ed. *Atlas of Sexually Transmitted Diseases and AIDS*. 2nd ed. London: Mosby-Wolfe; 1996: 149–158.
35. Money D. The laboratory diagnosis of bacterial vaginosis. *Can J Infect Dis Med Microbiol* 2005; 16:77-79.