

SUBSTANCE USE

References

1. Canada's drug strategy. Health Canada website. Available at: www.hc-sc.gc.ca/hecs-sesc/cds/index.htm. Accessed April 5, 2005.
2. Canadian Centre on Substance Abuse website. Available at: www.ccsa.ca. Accessed April 5, 2005.
3. Health Canada. *Straight Facts about Drugs and Drug Abuse*. Ottawa, ON: Health Canada; 2000. Available at: www.hc-sc.gc.ca/hecs-sesc/cds/pdf/straight_facts.pdf. Accessed April 5, 2005.
4. Canadian Community Epidemiology Network on Drug Use (CCENDU). *2002 National Report: Drug Trends and the CCENDU Network*. Ottawa, ON: Canadian Centre on Substance Abuse; 2003. Available at: www.ccsa.ca/ccendu/pdf/report_national_2002_e.pdf. Accessed April 5, 2005.
5. Canadian Centre on Substance Abuse and Centre for Addiction and Mental Health. *Canadian Profile 1999: Alcohol, Tobacco, and Other Drugs*. Ottawa, ON: CCSA and CAMH; 1999.
6. Single E. *A Socio-demographic Profile of Drug Users in Canada*. Ottawa, ON: HIV/AIDS Prevention and Community Action Programs of Health Canada; 2000.
7. Centre for Infectious Disease Prevention and Control, Health Canada. HIV/AIDS among injecting drug users in Canada. In: *HIV/AIDS Epi Update — May 2004*. Ottawa, ON: Health Canada; 2004. Available at: www.phac-aspc.gc.ca/publicat/epiu-aepi/epi_update_may_04/11_e.html. Accessed April 5, 2005.
8. Ross MW, Williams ML. Sexual behavior and illicit drug use. *Annu Rev Sex Res* 2001;12:290–310.
9. Wingood GM, DiClemente RJ. The influence of psychosocial factors, alcohol, drug use on African-American women's high-risk sexual behavior. *Am J Prev Med* 1998;15:54–59.
10. Baseman J, Ross M, Williams M. Sale of sex for drugs and drugs for sex: an economic context of sexual risk behavior for STDs. *Sex Transm Dis* 1999;26:444–449.
11. Jones DL, Irwin KL, Inciardi J, et al. The high-risk sexual practices of crack-smoking sex workers recruited from the streets of three American cities. The Multicenter Crack Cocaine and HIV Infection Study Team. *Sex Transm Dis* 1998;25:187–193.
12. Gomez MP, Kimball AM, Orlander H, Bain RM, Fisher LD, Holmes KK. Epidemic crack cocaine use linked with epidemics of genital ulcer disease and heterosexual HIV infection in the Bahamas: evidence of impact of prevention and control measures. *Sex Transm Dis* 2002;29:259–264.
13. Wilson TE, Minkoff H, DeHovitz J, Feldman J, Landesman S. The relationship of cocaine use and human immunodeficiency virus serostatus to incident sexually transmitted diseases among women. *Sex Transm Dis* 1998;25:70–75.
14. Tyndall MW, Patrick D, Spittal P, Li K, O'Shaughnessy MV, Schechter MT. Risky sexual behaviours among injection drug users with high HIV prevalence: implications for STD control. *Sex Transm Infect* 2002;78(suppl 1):i170–175.
15. Moliter F, Ruiz JD, Flynn N, Mikanda JN, Sun RK, Anderson R. Methamphetamine use and sexual and injection risk behaviors among out-of-treatment injection drug users. *Am J Drug Alcohol Abuse* 1999;23:475–493.

16. Morrison TC, DiClemente RJ, Wingood GM, Collins C. Frequency of alcohol use and its association with STD/HIV-related risk practices, attitudes and knowledge among an African-American community-recruited sample. *Int J STD AIDS* 1998;9:608–612.
17. Tapert SF, Aarons GA, Sedlar GR, Brown SA. Adolescent substance use and sexual risk-taking behavior. *J Adolesc Health* 2001;28:181–189.
18. Castrucci BC, Martin SL. The association between substance use and risky sexual behaviors among incarcerated adolescents. *Matern Child Health J* 2002;6:43–47.
19. Moliter F, Truax SR, Ruiz JD, Sun RK. Association of methamphetamine use during sex with risky sexual behaviors and HIV infection among non-injection drug users. *West J Med* 1998;168:93–97.
20. Novotna L, Wilson TE, Minkoff HL, et al. Predictors and risk-taking consequences of drug use among HIV-infected women. *J Acquir Immune Defic Syndr Hum Retrovirol* 1999;20:502–507.
21. Cook RL, Pollock NK, Rao AK, Clark DB. Increased prevalence of herpes simplex virus type 2 among adolescent women with alcohol use disorders. *J Adolesc Health* 2002;30:169–174.
22. Ramrakha S, Caspi A, Dickson N, Moffitt TE, Paul C. Psychiatric disorders and risky sexual behaviour in young adulthood: cross sectional study in birth cohort. *BMJ* 2000;321:263–266.
23. Sharma AK, Aggarwal OP, Dubey KK. Sexual behavior of drug-users: it is different? *Prev Med* 2002;34:512–515.
24. Hwang LY, Ross MW, Zack C, Bull L, Rickman K, Holleman M. Prevalence of sexually transmitted infections and associated risk factors among populations of drug abusers. *Clin Infect Dis* 2000;31:920–926.
25. Stein MD, Maksad J, Clarke J. Hepatitis C disease among injection drug users: knowledge, perceived risk and willingness to receive treatment. *Drug Alcohol Depend* 2001;61:211–215.
26. Bachmann LH, Lewis I, Allen R, et al. Risk and prevalence of treatable sexually transmitted diseases at a Birmingham substance abuse treatment facility. *Am J Public Health* 2000;90:1615–1618.
27. Poulin C, Alary M, Bernier F, Ringuet J, Joly JR. Prevalence of *Chlamydia trachomatis*, *Neisseria gonorrhoeae*, and HIV infection among drug users attending an STD/HIV prevention and needle-exchange program in Quebec City, Canada. *Sex Transm Dis* 1999;26:410–420.
28. Flom PL, Friedman SR, Kottiri BJ, et al. Stigmatized drug use, sexual partner concurrency, and other sex risk network and behavior characteristics of 18- to 24-year old youth in a high-risk neighborhood. *Sex Transm Dis* 2001;28:598–607.
29. Staton M, Leukefeld C, Logan TK, et al. Risky sex behavior and substance use among young adults. *Health Soc Work* 1999;24:147–154.
30. Bellis MA, Cook P, Clark P, Syed Q, Hoskins A. Re-emerging syphilis in gay men: a case-control study of behavioural risk factors and HIV status. *J Epidemiol Community Health* 2002;56:235–236.
31. Koblin BA, Chesney MA, Husnik MJ, et al. High-risk behaviors among men who have sex with men in 6 US cities: baseline data from the EXPLORE study. *Am J Public Health* 2003;93:926–932.

32. Colfax GN, Mansergh G, Guzman R, et al. Drug use and sexual risk behavior among gay and bisexual men who attend circuit parties: a venue-based comparison. *J Acquir Immune Defic Syndr* 2001;28:373–379.
33. Stall R, Purcell DW. Intertwining epidemics: a review of research on substance use among men who have sex with men and its connection to the AIDS epidemic. *AIDS Behav* 2000;4:181–192.
34. Purcell DW, Parsons JT, Halkitis PN, Mizuno Y, Woods WJ. Substance use and sexual transmission risk behavior of HIV-positive men who have sex with men. *J Subst Abuse* 2001;13:185–200.
35. Mattison AM, Ross MW, Wolfson T, Franklin D, San Diego HIV Neurobehavioral Research Center Group. Circuit party attendance, club drug use, and unsafe sex in gay men. *J Subst Abuse* 2001;13:119–126.
36. McNall M, Remafedi G. Relationship of amphetamine and other substance use to unprotected intercourse among young men who have sex with men. *Arch Pediatr Adolesc Med* 1999;153:1130–1135.
37. Sherr L, Bolding G, Maguire M, Elford J. Viagra use and sexual risk behaviour among gay men in London. *AIDS* 2000;14:2051–2053.
38. Chu PL, McFarland W, Gibson S, et al. Viagra use in a community-recruited sample of men who have sex with men, San Francisco. *J Acquir Immune Defic Syndr* 2003;33:191–193.
39. Prevention Source BC. *The Workbook on Prevention Concepts*. Available at: www.preventionsource.bc.ca/guides/workbook/sec6.html. Accessed April 5, 2005.
40. Canadian AIDS Society. *HIV and HCV Transmission: Guidelines for Assessing Risk*. Ottawa, ON: Canadian AIDS Society; 2004.
41. van Empelen P, Schaalma HP, Kok G, Jansen MW. Predicting condom use with casual and steady sex partners among drug users. *Health Educ Res* 2001;16:293–305.
42. *Canadian Immunization Guide*. 6th ed. Ottawa, ON: Public Health Agency of Canada; 2002.
43. Kuo I, Mudrick DW, Strathdee SA, Thomas DL, Sherman SG. Poor validity of self-reported hepatitis B virus infection and vaccination status among young drug users. *Clin Infect Dis* 2004;38:587–590.
44. Weatherill SA, Buxton JA, Daly PC. Immunization programs in non-traditional settings. *Can J Public Health* 2004;95:133–137.
45. Sexual Health and Sexually Transmitted Infections Section, Health Canada. Substance use history. In: *Self Learning Module on Sexually Transmitted Diseases*. Available at: www.phac-aspc.gc.ca/slm-maa/terry/sixdoors_e.html#sub. Accessed April 5, 2005.
46. Sexual Health and Sexually Transmitted Infections Section, Health Canada. Quick reference on frequently used substances. In: *Self Learning Module on Sexually Transmitted Diseases*. Available at: www.phac-aspc.gc.ca/slm-maa/terry/in02_e.html. Accessed April 5, 2005.
47. Ross MW, Hwang LY, Leonard L, Teng M, Duncan L. Sexual behavior, STDs and drug use in a crack house population. *Int J STD AIDS* 1999;10:224–230.
48. Ross MW, Hwang LY, Zack C, Bull L, Williams ML. Sexual risk behaviours and STIs in drug abuse treatment populations whose drug of choice is crack cocaine. *Int J STD AIDS* 2002;13:769–774.

49. Houlding C, Davidson R. Beliefs as predictors of condom use by injecting drug users in treatment. *Health Educ Res* 2003;18:145–155.
50. Hoffman JA, Klein H, Clark DC, Boyd FT. The effect of entering drug treatment on involvement in HIV-related risk behaviors. *Am J Drug Alcohol Abuse* 1998;24:259–284.
51. Urbina A, Jones K. Crystal methamphetamine, its analogues, and HIV infection: medical and psychiatric aspects of a new epidemic. *Clin Infect Dis* 2004;38:890–894.
52. Brewer DD, Garrett S, Kulasingam S. Forgetting as a cause of incomplete reporting of sexual and drug injection partners. *Sex Transm Dis* 1999;26:166–176.