

RESSOURCES RELATIVES À L'HÉPATITE C ET À L'UTILISATION DE DROGUES INJECTABLES

ÉVALUATION DES BESOINS

Préparé pour le

**Programme de prévention, de soutien et de recherche concernant l'hépatite C
Direction générale de la santé de la population et de la santé publique
Santé Canada**

Juillet 2000

Ce document a été préparé par le Centre canadien de lutte contre l'alcoolisme et les toxicomanies (CCLAT).

Les opinions exprimées dans le présent document sont celles des auteurs et ne reflètent pas nécessairement les politiques officielles de Santé Canada.

Pour obtenir plus d'information sur cette publication ou des exemplaires, prière de communiquer avec :

Division de l'hépatite C
Centre de prévention et de contrôle des
maladies infectieuses
Direction générale de la santé de la
population et de la santé publique
Santé Canada
2^e étage, 400, rue Cooper
Ottawa (Ontario)
K1A 0K9
Tél. : (613) 941-7532
Fax : (613) 941-7563
Site Web : www.hc-sc.gc.ca

This document is available in English.

Table des matières

CONTEXTE.....	2
CONCLUSIONS.....	3
(1) Résultats de la recherche : ressources.....	3
(2) Résultats de la recherche : lacunes dans la littérature.....	9
(3) Interviews : étude des ressources.....	10
(4) Interviews : étude des lacunes.....	12
CONTENU DU SITE WEB SUR L’HÉPATITE C ET L’UTILISATION DE DROGUES INJECTABLES.....	15
ANNEXE A : LISTE DE RESSOURCES	19

Contexte

La Division de l'hépatite C de Santé Canada a confié à contrat au Centre canadien de lutte contre l'alcoolisme et les toxicomanies (CCLAT) le soin d'effectuer une analyse en trois parties des ressources d'information portant sur l'hépatite C et l'utilisation de drogues injectables (UDI). La première partie consistait à recenser les ressources existantes. La deuxième visait à relever les lacunes sur le plan des ressources. La troisième, enfin, avait pour objet de créer une base de données regroupant les ressources identifiées et à faire en sorte qu'elle puisse être consultée sur le Web. Nous avons également défini les éléments essentiels d'un site Web " idéal " sur l'hépatite C et l'utilisation de drogues injectables.

Le CCLAT a procédé par divers moyens pour cerner les ressources. Il avait déjà recensé un certain nombre de documents, de sites Web et de bases de données dans le cadre d'autres projets qu'il avait menés à contrat pour la Division de l'hépatite C. Il avait, en effet, fait un rapport sur l'hépatite C et l'utilisation de drogues injectables au Canada et un rapport sur les mécanismes permettant de rejoindre les utilisateurs de drogues injectables.

Le CCLAT a complété les résultats de ces études en faisant d'autres recherches dans sa collection et dans des bases de données disponibles sur le marché. Il cherchait à recueillir des données sur la réduction des méfaits, les protocoles cliniques, la politique, les statistiques et le cadre législatif.

Un certain nombre de personnes ont été interviewées, dont neuf membres du personnel du Programme de l'hépatite C provenant des six bureaux régionaux et de l'administration centrale à Ottawa. Sept autres personnes très actives dans le domaine de l'hépatite C et de l'utilisation de drogues injectables ont également été interrogées, soit un chercheur dans le domaine des drogues et de la santé publique (Toronto), un utilisateur de drogues/travailleur communautaire (Toronto), un chercheur dans le domaine des politiques (Ottawa), une infirmière/professeure (Vancouver), un avocat/chercheur (Toronto et Montréal), une infirmière de rue/travailleuse communautaire (Vancouver) et un travailleur communautaire autochtone (Calgary).

Les entretiens ont porté sur (1) les ressources utilisées régulièrement (bases de données, sites Web, brochures, revues, ouvrages de référence, personnes); (2) les lacunes sur le plan de l'information et les ressources requises; (3) l'utilité de l'Internet; (4) les attentes à l'égard d'un site Web qui porterait sur l'hépatite C et l'utilisation de drogues injectables.

Conclusions

Les conclusions se répartissent en plusieurs sections. La première fait état des ressources relevées par les chercheurs de projets, qui sont des spécialistes de l'information. Ce sont, d'une part, des ressources se trouvant sur le Web et, d'autre part, des éléments proprement dits qui ont été recensés et catalogués dans la base de données Web.

La deuxième section présente une analyse des lacunes de la littérature relevées à l'issue des recherches faites par les spécialistes de l'information.

La troisième section porte sur le type de ressources utilisées par les personnes interviewées. Elles ont mentionné certains éléments particuliers, mais elles ont surtout fait état, de façon générale, du type de ressources qu'elles utilisaient et de leurs sources d'information clés.

La quatrième section traite des lacunes sur le plan de l'information signalées par les répondants.

(1) Résultats de la recherche : ressources

Titres particuliers

Ce projet et d'autres projets sur l'hépatite C et l'utilisation de drogues injectables réalisés à contrat ont permis de recenser 245 éléments au total. Ces éléments ont été catalogués dans une base de données à l'aide de DB/TextWorks. Les enregistrements ont été versés dans une base de données consultable sur le Web, que l'on trouve actuellement sur le site Web du CCLAT à l'adresse <http://www.ccsa.ca/hepsrch.htm>.

Les recherches dans cette base de données peuvent se faire par auteur, par titre, par éditeur, par sujet ou par année de publication. On peut également composer des requêtes en langage clair qui passent en revue tous les champs de l'enregistrement.

La base de données comprend surtout des articles publiés (165 éléments). Elle inclut aussi des actes de conférences et des rapports. La plupart des éléments sont publiés en anglais (231). Quelques-uns sont bilingues ou sont publiés en français.

Une bibliographie imprimée de cette base de données figure à l'annexe A.

Bases de données

Les bases de données qui fournissent le plus d'information sur la littérature relative à l'hépatite C et à l'utilisation de drogues injectables sont les suivantes :

MEDLINE

<http://igm.nlm.nih.gov/>

Références bibliographiques à la littérature médicale. Base produite par la United States National Library of Medicine.

AIDSLINE

<http://igm.nlm.nih.gov/>

Références bibliographiques à la littérature sur le sida et à des sujets connexes. Base produite par la United States National Library of Medicine.

IDA (Information about Drugs and Alcohol)

<http://www.health.org/DBarea/index.htm>

Références bibliographiques à des sources d'information sur la prévention de l'alcoolisme et des autres toxicomanies. Base produite par la United States Substance Abuse and Mental Health Services Administration.

Les bases de données qui fournissent une information restreinte sur la littérature relative à l'hépatite C et à l'utilisation de drogues injectables sont les suivantes :

ETOH (Alcohol and Alcohol Problems Science Database)

<http://www.health.org/DBarea/index.htm>

Références bibliographiques à des sources d'information sur tous les aspects de l'usage nocif de l'alcool et de l'alcoolisme. Base produite par le United States National Institute on Alcohol Abuse and Alcoholism.

Toxibase

<http://www.drogues.gouv.fr/fr/index.html>

Références bibliographiques à la littérature scientifique portant sur l'alcool et les drogues. Base produite par neuf centres d'information et de documentation en France. La toxibase est bilingue (français-anglais).

Sites Web : hépatite C et utilisation de drogues injectables**American Medical Students Association (É.-U.)**

<http://www.amsa.org/sc/nep.html>

Programmes d'échange de seringues

Échange de seringues

Annals of Internal Medicine

<http://www.asim.org/journals/annals/16mar99/currdrug.htm>

Contrôle de la transmission des maladies chez les utilisateurs de drogues injectables

Réduction des méfaits

British Liver Trust: Injecting Drug Use

<http://www.britishlivertrust.org.uk/publications/idu.htm>

Cette brochure fournit des données à jour sur l'hépatite C et l'utilisation de drogues injectables. Elle a été conçue pour des professionnels travaillant auprès de la clientèle visée.

Information générale

Réseau canadien autochtone du sida

http://www.caan.ca/main_eng.htm

Coalition nationale d'individus et d'organisations autochtones qui assurent un leadership chez les Autochtones infectés par le VIH/sida, leur donnent du soutien et défendent leurs intérêts.

Réduction des méfaits; défense des intérêts; soutien

Fondation canadienne pour une politique sur les drogues

<http://www.cfdp.ca>

La Fondation canadienne pour une politique sur les drogues (FCPD) est une organisation sans but lucratif fondée en 1993 par plusieurs des plus grands spécialistes de la politique sur les drogues du Canada.

Politiques nouvelles

Centre for Education and Information on Drugs and Alcohol (CEIDA) (Australie)

Hep C NSW Directory of Education Ressources

<http://www.ceida.net.au/hepC/index.htm>

Le Hepatitis C NSW Directory of Education Resources est un guide de référence rapide et claire sur les ressources relatives à l'hépatite C. Il s'adresse aux habitants de la Nouvelle-Galles du Sud qui travaillent dans toute une gamme de domaines liés à la santé.

Information générale

Centre for Harm Reduction (Australie)

<http://www.chr.asn.au/projects.html>

Le Centre for Harm Reduction (CHR) fait partie de l'Epidemiology and Social Research Unit (ESRU) du Macfarlane Burnet Centre (MBC).

Réduction des méfaits; recherche

Chicago Recovery Alliance (É.-U.)

<http://www.anypositivechange.org/crainfo.html>

La Chicago Recovery Alliance est un organisme d'intervention visant à donner des services directs, du soutien et de l'information sur la réduction des méfaits liés aux drogues et à défendre les intérêts des personnes touchées. Ressources et information pour les utilisateurs de drogues injectables : méthodes d'injection plus sûres, échange de seringues, infection à VIH.

Réduction des méfaits; échange de seringues; soutien; défense des intérêts

eMJA: The Medical Journal of Australia

<http://www.mja.com.au/>

Une recherche portant sur l'hépatite mène à un certain nombre d'articles liés à l'hépatite C et à l'utilisation de drogues injectables.

Recherche; réduction des méfaits; prisons

Glitzzy

<http://www.glitzzy.demon.co.uk/>

Glitzzy est un site indépendant qui soutient le militantisme des utilisateurs de drogues et la réduction des méfaits en milieu communautaire au Royaume-Uni et à l'échelon international. Il comprend l'International Drug Users Information Exchange. Information sur la campagne de protection contre les virus.

Réduction des méfaits; soutien; défense des intérêts

Harm Reduction Coalition

<http://www.harmreduction.org/hepatitisabc.html>

La Harm Reduction Coalition (HRC) vise à réduire les méfaits liés aux drogues pour les individus et la société en faisant de l'éducation, de l'intervention, de l'organisation communautaire et de la promotion à l'échelon local, régional et national.

Réduction des méfaits; soutien; défense des intérêts

Hepatitis C Council of NSW (Australie)

<http://www.hepatitisc.org.au/>

Organisme communautaire indépendant qui assure de l'information et du soutien aux habitants de la Nouvelle-Galles du Sud, en Australie, souffrant d'hépatite C et qui défend leurs intérêts.

Recherche; soutien; défense des intérêts; information générale

Hepatitis Place

<http://www.hepplace.com/>

Hepatitis Place est un centre d'information médicale privé qui s'adresse aux professionnels de la santé et aux patients souffrant d'hépatite.

Alcoolisme; recherche

VIH/sida et hépatite C en prison: les faits

<http://www.aidslaw.ca/francais/Publicationstofile/fichestobefiled/prisons/factpris-f/f-pfact1.htm>

Réseau juridique canadien VIH/sida

Réduction des méfaits; échange de seringues; prisons

HIV InSite (É.-U.)

http://hivinsite.ucsf.edu/topics/hepatitis/hepatitis_c/

Il s'agit d'un projet du Positive Health Program du San Francisco General Hospital Medical Center de l'University of California San Francisco (UCSF) et de l'UCSF Center for AIDS Prevention Studies, qui sont des programmes de l'UCSF AIDS Research Institute.

Réduction des méfaits; échange de seringues; information générale

International Association of Physicians in AIDS Care

http://www.thebody.com/iapac/hvc_hiv.html

Co-infection par le virus de l'hépatite C (VHC) et le VIH (Journal of the IAPAC)

Recherche; prisons

Journal of the American Medical Association HIV/AIDS Information Centre

Prévention du VIH/sida et d'autres maladies transmissibles par le sang chez les utilisateurs de drogues injectables

<http://www.ama-assn.org/special/hiv/library/readroom/jama97/lm6024.htm>

Échange de seringues; questions législatives

Lindesmith Center Online Library (É.-U.)

Quatorze résumés d'articles sur l'échange de seringues et d'aiguilles

http://www.lindesmith.org/library/lipp_14.html

Échange de seringues

Macfarlane Burnet Centre for Medical Research (Australie)

<http://www.burnet.edu.au/Internet/pr/publications.html>

Le Macfarlane Burnet Centre axe principalement ses recherches sur les virus. Son activité va de la recherche de base en laboratoire sur des virus comme le VIH et l'hépatite jusqu'à la conception, l'évaluation et l'application de programmes de santé publique visant à prévenir la transmission de ces virus.

Recherche; réduction des méfaits

National Clearinghouse for Alcohol and Drug Information (É.-U.)

Mémoires de recherche

<http://www.health.org/res-brf/index.htm>

Consultation des bases de données pour obtenir de l'information sur l'hépatite C.

Réduction des méfaits; recherche; information générale

National Drug Research Institute, Curtin University (Australie)

<http://www.curtin.edu.au/curtin/centre/ncrpd/>

Prévention de l'usage nocif des drogues en Australie

Recherche; réduction des méfaits

National Institute on Drug Abuse (É.-U.)

Risque de passage de l'usage d'héroïne par inhalation à l'utilisation de drogues injectables et au développement de maladies infectieuses

http://165.112.78.61/NIDA_notes/NNVo114N2/Heroin.html

New South Wales, Health: Hepatitis C (Australie)

<http://www.health.nsw.gov.au/public-health/a-z/hepc.html>

Information générale

Project Cork Resource Centre (É.-U.)

Bibliographie sur la réduction des méfaits

<http://www.state.vt.us/adap/harmred.htm>

Réduction des méfaits; recherche

Safe Works AIDS Project (É.-U.)

<http://www.safeworks.org/>

Méthodes d'injection sûres, soin des veines, méthodes de perçage sûres.

Réduction des méfaits; site non axé précisément sur l'hépatite C

Seattle and King County Public Health

Mise à jour sur l'utilisation de l'eau de Javel pour prévenir la transmission du VIH et de l'hépatite chez les utilisateurs de drogues injectables

<http://www8.metrokc.gov/health/apu/infograms/bleach.htm>

Réduction des méfaits

Treatment Improvement Exchange (É.-U.)

Formation commune sur le VIH/sida, la tuberculose et les maladies infectieuses : lien avec l'alcoolisme et les autres toxicomanies

<http://www.treatment.org/Topics/infectious.html>

Il s'agit d'un projet de formation visant à modifier le système en accroissant les connaissances, la sensibilisation et les compétences des dispensateurs de soins en santé publique et en toxicomanie.

Usage de drogues, sexualité, transmission du virus VIH, hépatites B et C et réduction des risques en prison à travers le monde

Institut de veille sanitaire, Réseau national de santé publique (France)

<http://www.rnsp-sante.fr/publications/drogues/index.html>

Recherche; prison; réduction des méfaits

Vancouver Native Health Society

Guides d'enseignement s'adressant à des personnes ayant un faible niveau d'alphabétisation (information sur l'hépatite C; VIH, hépatite C et prison (hommes); VIH, hépatite C et prison (femmes))

<http://persweb.direct.ca/vnhs/teach.htm>

Faible niveau d'alphabétisation; prison; réduction des méfaits

Walter Cavalieri's home page

Présentation des services que devraient offrir les centres de santé communautaires, selon les principes de la réduction des méfaits, pour répondre aux besoins du groupe croissant des personnes qui font usage de drogues, qui ont contracté ou qui contractent le VIH et l'hépatite C

http://users.surfen.net/~walterc/harm_red.html

Réduction des méfaits

Sites Web : information générale sur l'hépatite C

American Liver Foundation

<http://sadioe.ucsf.edu/alf/alfinal/>

Société canadienne de l'hémophilie

<http://www.hemophilia.ca/english/viruses/hepatitis/index.html>

Fondation canadienne du foie

http://www.cag.ucalgary.ca/patinfo/html/hepatitis_c.html

Centers for Disease Control and Prevention, National Center for Infectious Diseases Hépatite C

<http://www.cdc.gov/ncidod/diseases/hepatitis/c/index.htm>

Clinical Trials Listing Service

<http://www.centerwatch.com/studies/cat79.htm>

Focus: On Hepatitis C International

<http://pages.prodigy.com/hepc/index1.htm>

Soutien et défense des intérêts des personnes infectées par le VHC

Galaxy's list of resources

<http://galaxy.com/galaxy/Community/Health/Diseases-and-Disorders/Hepatitis-C.html>

Vaste série de liens. La plupart ne portent pas expressément sur l'utilisation de drogues injectables.

Health Care Information Resources: Hepatitis Links

Université McMaster

<http://www-hsl.mcmaster.ca/tomflem/hepat.html>

Pour les patients, leur famille, leurs amis et le personnel soignant.

Hemophilia Ontario

Hépatite C : brochure d'information pour les personnes infectées par le virus de l'hépatite C et leur famille

<http://www.hemophilia.on.ca/hepatitis/fbooklet96.htm>

Hepatitis C

<http://www.hepatitis-c.de/hepace.htm>

par Ingo d'Alquen

Société de l'Hépatite C du Canada

<http://web.idirect.com/~hepc/>

Hepatitis C United Resource Exchange

<http://www.junction.net/hepcure/index.html>

Hepatitis C: What Clinicians and Other Health Professionals Need to Know

<http://www.cdc.gov/ncidod/diseases/hepatitis/spotlight.htm>

Programme de formation interactive sur le Web.

Hep-C Alert!

<http://www.hep-c-alert.org/home.html>

Hepatitis Central

<http://www.hepatitis-central.com/>

Hepatitis Foundation International

<http://www.hepfi.org/>

Hepatitis Information Network: HepNet

<http://www.hepnet.com/hepc.html>

HIV and Hepatitis.com

<http://www.hivandhepatitis.com/index.html>

Le site *HIV and Hepatitis.com* est établi par un groupe de personnes étroitement liées aux patients souffrant d'infection à VIH, d'hépatite B et d'hépatite C. Notre objectif commun est de créer une publication en ligne de qualité fournissant des renseignements pratiques et fiables sur les traitements et les vaccins expérimentaux adaptés à ces maladies chroniques.

Medifind

<http://www.medifind.com>

Hépatite C : guide des ressources en ligne à l'intention des médecins. Il faut un numéro médical pour entrer en communication.

National Hepatitis C Coalition, Inc.

<http://nationalhepatitis-c.org/>

Organisation mondiale de la santé

Surveillance et intervention liées aux maladies transmissibles : hépatite

<http://www.who.int/emc.diseases/hepatiti/index.html>

Liens avec la surveillance épidémiologique

(2) Résultats de la recherche : lacunes dans la littérature

Dans l'ensemble, il y a assez peu de documents sur l'hépatite C qui traitent de l'utilisation de drogues injectables. Il y en a passablement qui traitent des facteurs de risque, de la transmission des maladies, de la prévalence et des études épidémiologiques (il y en a cependant peu qui portent précisément sur le Canada). Il y a très peu de documents qui traitent d'autres sujets, et en particulier des sujets suivants :

- Évaluation de programmes de prévention
- Évaluation de programmes de réduction des méfaits
- Recherche, effectuée dans le cadre de programmes, sur les moyens efficaces de rejoindre les populations à risque élevé
- Prévention s'adressant à des populations spéciales ou à des groupes à risque élevé, par exemple les femmes, les jeunes, les gais et les lesbiennes, les groupes autochtones, les détenus, les utilisateurs de stéroïdes
- Discussions et stratégies relatives aux politiques
- Législation et aspects juridiques
- Co-infection
- Données sur la prévalence particulières au Canada
- Études épidémiologiques particulières au Canada

(3) Interviews : étude des ressources

Les ressources ont été réparties par catégories générales selon leur présentation. Le répondant a été identifié selon le type de travail qu'il faisait ou selon le lien qu'il avait avec le sujet, car les besoins en information varient grandement selon le type de travail effectué.

Feuillets d'information, dépliants et brochures

Plusieurs consultants des programmes liés à l'hépatite C ont déclaré utiliser des feuillets d'information, des brochures et des dépliants produits par la Fondation canadienne du foie, Santé Canada ou la Société canadienne de l'hémophilie. Ils recommandaient l'utilisation de dépliants portant le sceau d'approbation de la profession médicale (produits par un organisme crédible). Les consultants de la Colombie-Britannique utilisent des dépliants, conçus par la Vancouver Native Health Society, qui s'adressent à une clientèle ayant un faible niveau d'alphabétisation (<http://persweb.direct.ca/vnhs/index.html>).

L'infirmière de rue/travailleuse communautaire a dit qu'elle utilisait des dépliants, mais qu'elle dirigeait de plus en plus la clientèle vers les sites Web accessibles au moyen des ordinateurs des centres communautaires. Le travailleur communautaire autochtone a également déclaré se servir de dépliants.

Livres, vidéos et autres ressources

Un répondant a mentionné qu'il utilisait une ressource produite par la Fondation canadienne du foie et un autre a parlé du bulletin *Mise à jour de l'information médicale*, produit par la Fondation canadienne du foie pour Santé Canada. Les répondants ont fait allusion à deux vidéos : il s'agit de *IV Positive*, qui s'adresse aux travailleurs de première ligne, et de *Respect Yourself, Protect Yourself - Teens talk to Teens* de la Hepatitis Foundation International.

Seuls les consultants du programme sur l'hépatite C de la Colombie-Britannique ont dit se servir de certains des livres tirés d'une liste d'ouvrages mise au point par la AIDS Vancouver Library. Le document *Peppermint Pattie's Frequently Asked Questions* (pour les personnes qui viennent de recevoir un diagnostic d'hépatite C) venait tout en haut de la liste

(<http://members.bellatlantic.net/~clotho/cfaq.htm>). L'infirmière/professeure et le travailleur communautaire autochtone ont indiqué qu'ils avaient recours à des livres.

Bulletins, revues

Plusieurs consultants des programmes sur l'hépatite C puisent leur information dans des revues médicales comme le *Journal de l'Association médicale canadienne*, le *New England Journal of Medicine* et le *British Medical Journal*. Un répondant a mentionné qu'un numéro spécial sur l'hépatite C du Center for Disease Control Newsletter était disponible en ligne. Les consultants de la Colombie-Britannique ont fait allusion à plusieurs bulletins d'information produits par des groupes de soutien communautaires; l'un de ces bulletins semble axé sur la réduction des méfaits. L'infirmière/professeure a recours à des revues. L'avocat/chercheur s'appuie sur des causes puisées dans des revues juridiques.

Bases de données

Le chercheur sur les drogues et la santé publique se sert de Medline. Aucun des consultants des programmes sur l'hépatite C n'a dit consulter des bases de données.

Autres ressources

Plusieurs consultants des programmes sur l'hépatite C ont déclaré puiser de l'information auprès de leurs collègues. L'utilisateur de drogues/travailleur communautaire et le travailleur communautaire autochtone ont déclaré considérer leurs collègues comme une ressource précieuse.

Le travailleur communautaire autochtone a souligné l'importance des vidéos et des ressources multimédia, surtout en diverses langues.

Le chercheur sur les politiques a cité comme ressources importantes les associations, les organisations sans but lucratif, les avocats et Santé Canada.

Il y a quelques consultants des programmes sur l'hépatite C qui recueillent de l'information par l'entremise d'un service d'information par les publications.

Sites Web

La plupart des consultants des programmes sur l'hépatite C ont déclaré utiliser souvent l'Internet. Parmi les sites très fréquentés, ils citent celui de la Fondation canadienne du foie, de sections de la Société canadienne de l'hémophilie et de certaines universités américaines et australiennes. La majorité des consultants ont dit qu'ils considéraient l'Internet comme une ressource très utile et qu'ils s'en servaient chaque jour. Un consultant fréquente les groupes de bavardage et les groupes de soutien en ligne pour mieux connaître l'expérience des personnes souffrant du VHC. Les consultants de l'Ontario faisaient exception à la règle, car ils consultaient l'Internet rarement, voire pas du tout.

Tous les autres répondants ont affirmé qu'ils considéraient le Web comme une ressource utile et importante. L'avocat/chercheur a dit qu'il y puisait, en particulier, de l'information sur la co-infection. L'infirmière de rue consulte beaucoup le Web pour elle-même et y adresse de plus en plus sa clientèle. Le travailleur communautaire autochtone a dit qu'il utilisait le Web et qu'il y trouvait quelques bons sites autochtones.

(4) Interviews : étude des lacunes

Documents en langage clair

La majorité des consultants des programmes sur l'hépatite C ont affirmé qu'ils avaient besoin de plus d'information rédigée en langage clair pour le public, notamment pour les utilisateurs de drogues injectables. Ils ont réclamé des documents plus courts, plus directs, rédigés dans un langage non médical. Ils auraient notamment besoin de documents portant sur la nature de l'hépatite C et les moyens de l'éviter, les facteurs de risque, la transmission des maladies et les divers traitements possibles. Plusieurs consultants ont indiqué que les résultats des projets de surveillance et de recherche financés par Santé Canada devraient être publiés et mis à la disposition du public. Une personne a réclamé la mise au point de "L'hépatite C pour les nuls", disant qu'il fallait concevoir de l'information moins médicale pour les professionnels qui n'appartiennent pas au domaine médical (p. ex. les travailleurs sociaux) et les groupes communautaires.

Le travailleur communautaire autochtone a dit qu'il fallait de l'information s'adressant à des gens de tous les niveaux d'alphabétisation et de tous les milieux. Il faut des ressources dans diverses langues, surtout dans les langues autochtones.

Recherche

Les consultants des programmes sur l'hépatite C ont indiqué, dans l'ensemble, que les résultats des études et des recherches canadiennes devaient être plus diffusés et plus accessibles. Un certain nombre d'entre eux ont indiqué qu'il fallait rassembler de meilleures données sur l'épidémiologie et l'incidence, à l'échelon régional et national, et sur certaines populations spéciales (p. ex., les groupes autochtones). Plusieurs répondants ont mentionné qu'ils aimeraient avoir accès plus rapidement à des projets de recherche nationaux et à leurs résultats (p. ex. les conclusions pour l'évaluation des besoins des Diététistes du Canada).

Le chercheur sur les drogues et la santé publique aimerait avoir accès aux tables de données de l'OMA/AMC sur le Web. Le chercheur sur les politiques était en quête d'information sur l'incapacité des organismes juridiques et des forces de l'ordre de faire face aux problèmes liés à l'utilisation de drogues injectables et à l'hépatite C au moyen des lois et des politiques. Il faut recueillir de l'information sur la nature et l'efficacité de s programmes d'échanges de seringues et de réduction des méfaits. Il a été proposé que Santé Canada parraine ce projet.

L'infirmière/professeure et l'avocat/chercheur ont tous deux rappelé l'importance de recueillir de meilleurs données médicales et épidémiologiques, à l'aide du modèle en usage sur les sites Web de l'OMS et de l'ONUSIDA.

Ressources

Plusieurs consultants des programmes sur l'hépatite C ont dit qu'ils avaient besoin d'outils de prévention, par exemple des troupes, et d'outils de communication, par exemple des dépliants. Ils ont ajouté qu'ils devaient mieux comprendre les groupes visés et qu'ils aimeraient avoir de l'information sur le profil (p. ex. le groupe ethnique, l'âge, la langue) des utilisateurs de drogues injectables et de certaines sous-populations comme les jeunes et les femmes (p. ex. le groupe ethnique, l'âge, la langue).

La majorité des consultants des programmes sur l'hépatite C ont indiqué qu'il fallait concevoir, pour la population en général et les groupes communautaires, une série de documents d'information portant le "sceau d'approbation" de Santé Canada. Il a été suggéré d'apporter quelques changements mineurs au document *Mise à jour de l'information médicale*, qui a été publié récemment par la Fondation canadienne du foie, et de le distribuer au public. On a proposé de mettre au point certaines ressources particulières dont des vidéos pour les travailleurs de première ligne et les groupes de soutien, de l'information sur les traitements offerts aux utilisateurs de drogues injectables et des stratégies de réduction des méfaits.

Meilleur accès

Un certain nombre de consultants des programmes sur l'hépatite C ont déclaré avoir du mal à retrouver l'information disséminée sur l'Internet. D'autres ont dit qu'une base de données sur l'information disponible, les documents d'information et les articles de recherche serait utile. Plusieurs consultants ont souligné la nécessité de disposer d'un centre national d'information qui serait chargé de distribuer des dépliants et d'autres ressources et d'assurer un service de référence et d'information.

Certains des autres répondants ont ajouté qu'ils devaient accroître leur connaissance du Web afin de profiter des ressources de l'Internet. Il faut avoir de bonnes capacités de recherche pour trouver certaines des ressources qui figurent sur le réseau. Une partie de la solution au problème tient à la conception d'un excellent site Web donnant accès à diverses ressources. On pourrait aussi enseigner des techniques de recherche sur le Web aux professionnels de la santé au cours de réunions, de conférences et d'ateliers.

Ressources sur les traitements

L'infirmière/professeure a indiqué qu'il fallait rassembler de meilleures données sur les traitements et de l'information sur les traitements non traditionnels. L'infirmière de rue/travailleuse communautaire et le travailleur communautaire autochtone ont fait le même constat. Ils ont tous deux fait allusion aux ressources propres aux Autochtones, par exemple le Cercle d'influences.

Deux répondants ont mentionné qu'il fallait remédier au manque de connaissances des médecins au sujet de l'hépatite C et de l'utilisation de drogues injectables. Plusieurs répondants ont souligné la nécessité de recueillir plus d'information sur la co-infection. Il faut également des données sur les femmes et la grossesse. Il faut parallèlement disposer d'une information plus complète sur les risques de transmission par voie sexuelle.

Autres besoins

Les consultants des programmes sur l'hépatite C ont fait état d'autres besoins particuliers :

- Recherche sur l'interaction entre les médicaments utilisés pour le traitement du VHC et l'héroïne, la cocaïne, la marijuana ou l'alcool. La recherche pourrait viser, par exemple, à déterminer les combinaisons de drogues les moins nocives.
- Recherche sur les moyens permettant de rejoindre les personnes qui se sont injecté des drogues au cours des années 60 et 70 et qui risquent d'avoir contracté le VHC.
- Formation sur le VHC pour les travailleurs du domaine du sida.

L'avocat/chercheur et l'infirmière de rue/travailleuse communautaire ont souligné la nécessité d'obtenir de l'information sur les questions juridiques et éthiques ainsi que sur la responsabilité.

L'utilisateur de drogue/travailleur communautaire a dit qu'il faudrait mettre sur pied des centres communautaires et des centres de réduction des méfaits.

Contenu du site Web sur l'hépatite C et l'utilisation de drogues injectables

En général, les consultants des programmes sur l'hépatite C ont indiqué qu'un site Web de vrait permettre aux professionnels d'obtenir de l'information sur la recherche et les programmes tout en renseignant le public et en établissant des liens entre les groupes communautaires. On a relevé le commentaire suivant : "Le site doit être adapté aux groupes communautaires de la rue. Il doit leur permettre de partager leurs expériences, leurs stratégies, leurs innovations. Il y a actuellement un certain nombre de groupes informels qui travaillent chacun de leur côté. Il faut établir des liens entre eux."

Les autres répondants ont mentionné un grand nombre de sujets à inclure sur le site Web. En voici la liste, selon la profession ou le centre d'intérêt du répondant :

Chercheur sur les drogues et la santé publique :	Soignants (réduction des risques), santé publique et information générale
Utilisateur de drogues/travailleur communautaire:	Information fournie par les pairs ou par des utilisateurs/ex-utilisateurs, éducation et counselling
Chercheur sur les politiques :	Définitions et descriptions; information générale sur la prévention et le traitement; données; questions juridiques et éthiques; situation et interventions dans d'autres pays.
Infirmière/professeure :	Épidémiologie; prévention, traitement, éducation; stratégies d'adaptation et ressources pour la famille (selon les disponibilités dans le domaine du VIH/sida); information pour les utilisateurs de drogues (et liens); matériel d'apprentissage à distance; mise à jour constante pour accroître la durée de vie de la ressource; information téléchargeable; données succinctes (pour faciliter la mise à jour).
Avocat/chercheur :	Données médicales et épidémiologiques; documents sur les aspects juridiques et éthiques; programmes canadiens de réduction des méfaits; collaboration avec les employés municipaux et les services de police, etc.; information sur le milieu carcéral.
Infirmière de rue/travailleuse communautaire :	Nouvelles/mises à jour/information récente; données de régions menant des programmes de réduction des méfaits et des activités innovatrices; ressources pour des groupes particuliers (femmes, grossesse); sécurité et toxicité des traitements; responsabilité juridique.

Travailleur communautaire autochtone :	Information générale à divers échelons et en diverses langues; ressources multimédia; approches non traditionnelles et autochtones et liens; approches pratiques de la réduction des méfaits et autres approches visant à réduire les risques; information sur l'infection croisée, notamment sur le VIH et la tuberculose.
--	--

Public visé

Le site Web devrait en premier lieu s'adresser aux professionnels. Il devrait par la suite répondre aux besoins particuliers des groupes communautaires. Il devrait, enfin, intégrer de l'information destinée au grand public.

Contenu proposé

Information générale

- Information, destinée au public, sur la nature et la prévention de l'hépatite C.
- Sources de soutien dans l'ensemble du Canada pour les personnes ayant reçu récemment un diagnostic.
- Dépliants et ressources pour les groupes communautaires.
- Personnes-ressources pouvant donner du soutien à l'échelon local.

Information juridique et éthique

Recherche

- Résumés de projets de recherche et d'études financés par Santé Canada.
- Information nationale, régionale et locale sur la prévalence.
- Statistiques fiables sur la transmission des maladies et les taux de co-infection.

Projets

- Points saillants des projets nationaux, provinciaux, interprovinciaux et communautaires accompagnés d'un résumé, du nom d'une personne-ressource et des instruments mis au point.
- Points saillants des projets et des initiatives mis au point dans d'autres pays (p. ex., l'Australie, le Japon).

Stratégies de programme

- Modèles de programme et instruments.
- Stratégies fructueuses et meilleures pratiques.
- Principes de la réduction des méfaits et stratégies efficaces; solutions de rechange aux peines traditionnelles et tribunaux spécialisés dans les causes de drogue.

Lignes directrices sur les traitements

Ressources en prévention

Information sur la réduction des méfaits

Base de données

- Base de données regroupant des ressources et des articles de recherche.

Événements

- Événements à venir, vigiles, etc.

Liens

- Liens avec des organismes clés, sites portant sur la réduction des méfaits et sites portant sur les politiques en matière de drogue.

Options interactives

Groupes de discussion

Bavardage en ligne

Groupes de soutien

- Possibilité de débats et d'échanges sur les programmes.
- Réunions publiques (p. ex. conférences suivies d'une période de questions et réponses axée sur les travailleurs de première ligne).
- Groupes de discussion sur l'utilisation de drogues injectables et le VHC.

Résumé

Il est difficile de distinguer les ressources qui ont trait à l'hépatite C en général et celles qui ont trait à l'hépatite C associée à l'utilisation de drogues injectables. La plupart des ressources mentionnent que l'utilisation de drogues injectables peut provoquer de nouvelles infections, mais elles se contentent souvent de fournir des statistiques de base et de conseiller aux intéressés de ne pas partager de seringues et autres accessoires liés aux drogues. Bon nombre des sites Web axés sur le soutien ne traitent pas de l'utilisation de drogues injectables et n'ont, de toute évidence, pas l'intention de soutenir cette population.

La majeure partie de l'information sur l'utilisation de drogues injectables que nous avons retrouvée sur l'Internet a été le fruit d'une interrogation à l'aide des termes "harm reduction AND hepatitis C" (réduction des méfaits AND hépatite C). Il convient de garder cette stratégie de recherche en mémoire pour la mise à jour de ces ressources.

À notre avis, un site Web portant sur l'hépatite C et l'utilisation de drogues injectables devrait probablement intégrer des séquences d'information ou des subdivisions du Web pouvant offrir une information ciblée à plusieurs groupes :

- utilisateurs de drogues injectables
- médecins, infirmières et thérapeutes professionnels œuvrant auprès de cette population
- groupes communautaires
- groupes autochtones
- population carcérale
- femmes

Si l'on créait un site Web portant sur l'hépatite C et l'utilisation de drogues injectables, il faudrait y intégrer des ressources s'adressant expressément aux utilisateurs de drogues injectables. On pourrait concevoir l'information sur les méthodes d'injection sûres en s'inspirant de certains sites Web qui traitent de la réduction des méfaits dans des termes très clairs.

Cette recherche montre clairement que le Web est une ressource essentielle pour les gens qui travaillent dans ce domaine. Santé Canada desservira ces populations clés en créant un site Web complet qui fournira de l'information crédible et exacte conçue pour répondre à leurs besoins particuliers.

Annexe A : Liste de ressources

1

James, Darlene; Mayberry, Chris; Moran, Jerry

AADAC's opiate dependency program: evaluation of the enhanced program component

Edmonton, AB : Alberta Alcohol and Drug Abuse Commission, 1994.

1 v. in various pagings eng acq: 4705 Source: CCSADOCS

2

American Academy of Pediatrics. Committee on Sports Medicine and Fitness

Adolescents and anabolic steroids: a subject review

Pediatrics, 99(6): 904-908, 1997

5 p. eng acq: 7574 Source: CCSADOCS

3

Hernandez, E.

AIDS education in the jail setting: achievements and frustrations

In: Community-based AIDS prevention: studies of intravenous drug users and their sexual partners.

Proceedings of the First Annual NADR National Meeting. Rockville, MD : U.S. Department of Health and Human Services, 1989. p. 291-294.

4 p. eng acq: record only Source: IDA

4

Zeegers Paget, D.; et al.

International Conference on AIDS (1996, 7-12 July)

AIDS prevention programme including needle distribution for female prisoners: the Hindelbank pilot project

[Bern, Switzerland : The authors, 1996].

eng acq: record only Source: Medline

5

McBride, Andrew J.; et al.

Amphetamine prescribing as a harm reduction measure: a preliminary study

Addiction Research, 5(2): 95-112, 1997

18 p. eng acq: 8275 Source: CCSADOCS

6

Ardito, F.

Anabolic steroid use: prevention and education

International Journal of Drug Policy, 5(1): 27-33, 1994

7 p. eng acq: record only Source: IDA

7

Morrison, Clive L.

Anabolic steroid users identified by needle and syringe exchange contact

Drug and Alcohol Dependence, 36(2): 153-155, 1994

3 p. eng acq: 968

8

Coutinho, Roel A.

Annotation: needle exchange programs -do they work?

American Journal of Public Health, 85(11): 1490-1491, 1995

2 p. eng acq: 970

9

Kleber, Herbert D. (chair)

Assessment and treatment of cocaine-abusing methadone-maintained patients

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

Rockville, MD : U.S. Department of Health and Human Services, 1994.
[129 p.] eng acq: 5677 Source: CCSADOCS

10

Hulse, G.

Australia's public health response to HIV and HCV: a role for 'affected' communities

Drug and Alcohol Review, 16(2): 171-176, 1997

6 p. eng acq: record only Source: IDA

11

Carruthers, S.J.

Australian study of HIV and injecting drug use: part I. Predicting exposure to hepatitis C and hepatitis B

Drug and Alcohol Review, 16(3): 215-220, 1997

6 p. eng acq: record only Source: IDA

12

Loxley, Wendy M.; et al.

Australian study of HIV and injecting drug use: part I. Prevalence for HIV, hepatitis B and hepatitis C among injecting drug users in four Australian cities

Drug and Alcohol Review, 16(3): 207-214, 1997

8 p. eng acq: 1070

13

Carruthers, Susan J.; et al.

The Australian study of HIV and injecting drug use: part II. Predicting exposure to hepatitis C and hepatitis B

Drug and Alcohol Review, 16(3): 215-220, 1997

6 p. eng acq: 1212

14

British Medical Association. Temporary Sub-Committee on Narcotics Harm Reduction

Backgrounder: No further harm

Vancouver, BC : B.C. Medical Association, 1998.

22 p. eng acq: 8294 Source: CCSADOCS

15

Henrion, R.

Bilan de l'efficacité des mesures prises en France pour réduire les risques de l'héroïnomanie par voie veineuse

Bulletin de l'Académie nationale de médecine, 181(6): 1177-1189, 1997

13 p. fre acq: record only Source: Medline

16

Canada. Parliament. House of Commons

Bill C-264, Blood Samples Act. (An Act to provide for the taking of blood to detect the presence of certain viruses). (Mr. Martin, Esquimaux-Juan de Fuca.) First reading, October 26, 1999 = Projet de Loi C-264. Loi sur les prélèvements d'échantillons de sang. (Loi permettant le prélèvement d'échantillons de sang dans le but de détecter la présence de certains virus. (M. Martin, Esquimaux-Juan de Fuca). Première lecture, le 26 octobre 1999

Ottawa, ON : Queen's Printer for Canada, 1999.

5 p. = 5 p. bil acq: 652 Source: CCSADOCS

17

Ovenden, C.

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

Binging on psychostimulants in Australia: do we know what it means (and does it matter)?

Addiction Research, 4(1): 33-43, 1996

11 p. eng acq: record only Source: IDA

18

Mecca, Andrew H.

Blending policy and research: the California Outcomes Study

Journal of Psychoactive Drugs, 29(2): 161-163, 1997

3 p. eng acq: 8131 Source: CCSADOCS

19

Crofts, Nick; et al.

Blood-borne virus infections among Australian injecting drug users: implications for spread of HIV

European Journal of Epidemiology, 10(6): 687-694, 1994

8 p. eng acq: 962

20

Smyth, Bobby P.; Keenan, Eamon; O'Connor, John J.

Bloodborne viral infection in Irish injecting drug users

Addiction, 93(11): 1649-1656, 1998

8 p. eng acq: 1007

21

Health Canada. Laboratory Centre for Disease Control. Document Dissemination Division
National Consensus Conference (14-16 October, 1998)

Canada Communicable Disease Report: supplement on Hepatitis C prevention and control: a public health consensus

Ottawa, ON : Health Canada, 1999.

23 p. eng acq: 347

22

Health Canada. Laboratory Centre for Disease Control
National Meeting (6-8 December, 1994)

Canada Communicable Disease Report: supplement on Prevention and control of Hepatitis C: guidelines and recommendations

Ottawa, ON : Health Canada, 1995.

18 p. eng acq: 8296

23

Fischer, Benedikt; Rehm, Jürgen

The case for a heroin substitution treatment trial in Canada

Canadian Journal of Public Health, 88(6): 367-370, 1997

4 p. eng acq: 7510 Source: CCSADOCS

24

Scully, Linda J.; Mitchell, Susan; Gill, Peter

Clinical and epidemiologic characteristics of hepatitis C in a gastroenterology/hepatology practice in Ottawa

Canadian Medical Association Journal, 148(7) 1173-1177, 1993

5 p. eng acq: 1005

25

Goeser, T.; et al.

Clinical presentation of GB-C virus infection in drug abusers with chronic hepatitis C

Journal of Hepatology, 26(3): 498-502, 1997

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

4 p. eng acq: record only Source: Medline

26

U.S. Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

Cocaine abuse and addiction

Rockville, MD : U.S. Department of Health and Human Services, 1999.

8 p. eng acq: 8468 Source: CCSADOCS

27

Pallas, José R.; et al.

Coinfections by HIV, hepatitis B and hepatitis C in imprisoned injecting drug users

European Journal of Epidemiology, 15(8): 699-704, 1999

6 p. eng acq: 940

28

Weiker, Rebecca L.; Edgington, Renee; Kipke, Michele D.

Collaborative evaluation of a needle exchange program for youth

Health Education & Behavior, 26(2): 213-224, 1999

12 p. eng acq: 432 Source: CCSADOCS

29

Blewett, N.

Comments on Hulse's 'Australia's public health response to HIV and HCV: a role for 'affected' communities'

Drug and Alcohol Review, 16(2): 177-181, 1997

5 p. eng acq: record only Source: IDA

30

Abbott, Patrick, J.

Community Reinforcement Approach in the treatment of opiate addicts

American Journal of Drug and Alcohol Abuse, 24(1): 17-30, 1998

8 p. eng acq: 8133 Source: CCSADOCS

31

Budney, Alan J.; Higgins, Stephen T.

A community reinforcement plus vouchers approach: treating cocaine addiction

Rockville, MD : U.S. Department of Health and Human Services, 1998.

ix, 148 p. eng acq: 7563 Source: CCSADOCS

32

Edwards, G.; Frances, R.; Lehmann, T.

Community report: Injecting Drug Use Project

Fitzroy, Australia : Victorian Aboriginal Health Service Co-Operative Ltd., 1998.

eng acq: record only Source: Aus Indig db

33

Fischer, Benedikt; et al.

Comparing opiate users in methadone treatment with untreated opiate users: results of a follow-up study with a Toronto opiate user cohort

Canadian Journal of Public Health, 90(5): 299-303, 1999

5 p. eng acq: 775 Source: CCSADOCS

34

Vidal-Trecan, G.; et al.

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

Les comportements a risque des usagers de drogues par voie intraveineuse: les femmes prennent-elles plus de risques de transmission des virus VIH et VHC?

Revue d'épidémiologie et de santé publique, 46(3): 193-204, 1998
12 p. fre acq: 965

35

Mather, Dineli; Crofts, Nick

A computer model of the spread of hepatitis C virus among injecting drug users

European Journal of Epidemiology, 15(1): 5-10, 1999
6 p. eng acq: 948

36

Thomas, David L.; et al.

Correlates of hepatitis C virus infections among injection drug users

Medicine, 74(4): 212-220, 1995
9 p. eng acq: 1032

37

Holtgrave, D.R.; et al.

Cost and cost-effectiveness of increasing access to sterile syringes and needles as an HIV prevention intervention in the United States

Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology, 18(Suppl 1): S133-S138, 1998

6 p. eng acq: record only Source: Medline

38

Wright-De Agüero, L.

Cost of outreach for HIV prevention among drug users and youth at risk

Multicultural AIDS Prevention Programs, 9(1/2): 185-197, 1996
13 p. eng acq: record only Source: IDA

39

Zweben, Joan Ellen

Counseling issues in methadone maintenance treatment

Journal of Psychoactive Drugs, 23(2): 177-190, 1991
14 p. eng acq: 8159 Source: CCSADOCS

40

Brunton, Cheryl; Kemp, Robert; et al.

Cumulative incidence of hepatitis C seroconversion in a cohort of seronegative injecting drug users

Christchurch, NZ : The authors, 2000.
14 p. eng acq: 952

41

Beel, A.

Current perspective on anabolic steroids

Drug and Alcohol Review, 17(1): 87-103, 1998
17 p. eng acq: record only Source: IDA

42

Rothon, Diane A.; et al.

Determinants of HIV-related high risk behaviours among young offenders: a window of opportunity

Canadian Journal of Public Health, 88(1):14-17, 1997
4 p. eng acq: 8194 Source: CCSADOCS

43

Crofts, Nick

Determinants of HIV risk among men who have homosexual sex and inject drugs

AIDS Care, 7(5): 647-655, 1995

9 p. eng acq: record only Source: IDA

44

Atelier national sur le VIH et l'usage de l'alcool et des autres drogues (2e : 1994, 6-9 février : Edmonton, AB)

Deuxième atelier national sur le VIH et l'usage de l'alcool et des autres drogues: actes

Ottawa, ON : Centre canadien de lutte contre l'alcoolisme et les toxicomanies, 1994.

127 p. fre acq: 5568 5568-2 Source: CCSADOCS

45

Rhodes, Tim; et al.

Differences in sexual behaviour and condom use among cocaine and opioid injectors in Santos, Toronto and London

International Journal of Drug Policy, 9(6): 449-460, 1998

12 p. eng acq: 8273

46

Lawford, Bruce; et al.

The DRD2 A1 allele: a behavioural genetic risk factor in hepatitis C infection of persistent drug abusers

Addiction Biology, 4(1): 61-66, 1999

6 p. eng acq: 967

47

Roy, Élise; et al.

World AIDS Conference (12th : 1998, June 28-July 1 : Geneva, Switzerland)

Drug injection initiation among street youth

Montréal, PQ : The authors, 1998.

1 p. eng acq: 8204

48

Plumb, M.J.

Drug use and increased risk of HIV among lesbians and other women who have sex with women

In: Wetherington, C.L.; Roman, A.B. (eds.). Drug addiction research and the health of women. Rockville, MD : U.S. Department of Health and Human Services, 1998. p. 517-528.

12 p. eng acq: record only Source: IDA

49

Darke, Shane; Kaye, Sharlene; Finlay-Jones, Robert

Drug use and injection risk-taking among prison methadone maintenance patients

Addiction, 93(8): 1169-1175, 1998

7 p. eng acq: 8356 Source: CCSADOCS

50

Riley, Diane

BC AIDS Conference (1992, November : Vancouver)

Drug use in prisons: a harm reduction approach

Ottawa, ON : Canadian Centre on Substance Abuse, 1992.

15 p. eng acq: 4086 Source: CCSADOCS

51

Kipke, Michele D.

Drug use, needle sharing, and HIV risk among injection drug-using street youth

Substance Use & Misuse, 31(9): 1167-1187, 1996

21 p. eng acq: record only Source: IDA

52

Lior, Lee; Stratton, Elizabeth

The Eastern Region Project: seroprevalence of HIV, Hepatitis B and Hepatitis C viruses and high risk behaviours among IDU and sexual partners of IDU

Halifax, NS : Nova Scotia Department of Health, 1998.

41 p. eng acq: 8195

53

Hurley, Susan F.; Jolley, Damien J.; Kaldor, John M.

Effectiveness of needle-exchange programmes for prevention of HIV infection

The Lancet, 349(June 21): 1797-1800, 1997

4 p. eng acq: 7626 Source: CCSADOCS

54

Goldberg, L.

Effects of a multidimensional anabolic steroid prevention intervention: the adolescents training and learning to avoid steroids (ATLAS) program

Addiction Research, 4(1): 33-43, 1996

11 p. eng acq: record only Source: IDA

55

Poulin, Christiane

An epidemic of hepatitis B among injection drug users in a rural area

Canadian Journal of Public Health, 83(2): 102-105, 1992

4 p. eng acq: 2544

56

Williams, I.

Epidemiology of hepatitis C in the United States

American Journal of Medicine, 107(6B): 2S-9S, 1999

8 p. eng acq: record only Source: Medline

57

Crofts, Nick; Jolley, Damien; Kaldor, John; van Beek, Ingrid; Wodak, Alex

Epidemiology of hepatitis C virus infection among injecting drug users in Australia

Journal of Epidemiology and Community Health, 51: 692-697, 1997

6 p. eng acq: 8186

58

Longshore, D.

Ethnic differences in the psychosocial antecedents of needle/syringe disinfection

Drug and Alcohol Dependence, 42(3): 183-186, 1996

14 p. eng acq: record only Source: IDA

59

O'Niell, Katy

Evaluation of a cognitive-behavioral intervention for pregnant injecting drug users at risk of HIV infection

Addiction, 91(8): 1115-1125, 1996

11 p. eng acq: record only Source: IDA

60

Smyth, Bobby P.; Keenan, Eamon; O'Connor, John J.

Evaluation of the impact of Dublin's expanded harm reduction programme on prevalence of hepatitis C among short-term injecting drug users

Journal of Epidemiology and Community Health, 53(7): 434-435, 1999

2 p. eng acq: 989

61

Beld, M.; et al.

Evidence that both HIV and HIV-induced immunodeficiency enhance HCV replication among HCV seroconverters

Virology, 244(2): 504-512, 1998

9 p. eng acq: record only Source: Medline

62

Archibald, C.P.

Factors associated with frequent needle exchange program attendance in injection drug users in Vancouver, Canada

Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology, 17(2): 160-166, 1998

7 p. eng acq: record only Source: Medline

63

Allen, K.

Female drug abusers and the contexts of their HIV transmission risk behaviors

In: Battjes, R.J.; Sloboda, Z.; Grace, W.C. (eds.). The context of HIV risk among drug users and their sexual partners. NIDA research monograph 143. Rockville, MD : U.S. Department of Health and Human Services, 1994. p. 48-63..

16 p. eng acq: record only Source: IDA

64

Crofts, Nick; Aitken, Campbell K.; Kaldor, John M.

The force of numbers: why hepatitis C is spreading among Australian injecting drug users while HIV is not

Medical Journal of Australia, 171(3): 220-221, 1999

2 p. eng acq: 984

65

Sullivan, Lucy G.

The force of numbers: why hepatitis C is spreading among Australian injecting drug users while HIV is not [letter to the editor]

Medical Journal of Australia, 171(4): 165, 1999

2 p. eng acq: 974

66

Loxley, W.; Ovensden, C.

Friends and lovers: needle sharing in young people in Western Australia

AIDS Care, 7(3): 337-351, 1995

15 p. eng acq: 5736 Source: CCSADDOCS

67

Lennings, C.J.

Harm minimization or abstinence: an evaluation of current policies and practices in the treatment and control of intravenous drug using groups in Australia

Disability Rehabilitation, 22(1-2): 57-64, 2000

8 p. eng acq: record only Source: Medline

68

Erickson, Patricia G.; et al.

Harm reduction: a new direction for drug policies and programs

Toronto, ON : University of Toronto Press Inc., 1997.

vii, 476 p. eng acq: 7461 Source: CCSADOCS

69

Bird, A.G.

Harm reduction measures and injecting inside prison versus mandatory drugs testing: results of a cross sectional anonymous questionnaire study

British Medical Journal, 315(7099): 1-9, 1997

9 p. eng acq: record only Source: IDA

70

Riley, Diane

The harm reduction model: pragmatic approaches to drug use from the area between intolerance and neglect

Ottawa, ON : Canadian Centre on Substance Abuse, 1993.

15 p. eng acq: 4011 4011-2 Source: CCSADOCS

71

Marlatt, G. Alan (ed.)

Harm reduction: pragmatic strategies for managing high risk behaviors

New York, NY : Guilford Press, 1998.

xxiv, 390 p. eng acq: 8370 Source: CCSADOCS

72

Kent, Heather

Harm-reduction strategies weapon of choice in BC's battle with drug addiction

Canadian Medical Association Journal, 155(5): 571-573, 1996

3 p. eng acq: 7588 Source: CCSADOCS

73

Wells, P.

HCV and IDUs: legacy for the millennium

International Journal of Drug Policy, 9(1): 63-69, 1998

7 p. eng acq: record only Source: IDA

74

Coppola, R.C.; et al.

HCV, HIV, HBV and HDV infections in intravenous drug addicts

European Journal of Epidemiology, 10(3): 279-283, 1994

5 p. eng acq: record only Source: Medline

75

Finch, E.

HCV policies -- where do we go?

International Journal of Drug Policy, 9(1): 1-2, 1998

2 p. eng acq: record only Source: IDA

76

Shoobridge, J.

The health and psychological consequences of injecting drug use in an Aboriginal community

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

In: Dyer, K.; Addy, D. New perspectives: proceedings of the 1997 NCETA Research Seminar Program. Bedford Park, Australia : National Centre for Education and Training on Addictions, 1998. p. 12-24.
eng acq: record only Source: Aus Indig db

77

Brown, K.; Crofts, N.

Health care costs of a continuing epidemic of hepatitis C virus infection among injecting drug users
Australian Journal of Public Health, 22(3suppl): 384-388, 1998
5 p. eng acq: record only Source: Medline

78

Peterson, V.

Hep C and me

Harm Reduction Communication, Spring: 20, 36, 1998
2 p. eng acq: record only Source: IDA

79

Steffen, T.; Gutzwiller, F.

[Hepatitis B and C in intravenous drug abusers in Switzerland]

Schweizerische Rundschau für Medizin Praxis, 88(47): 1937-1944, 1999
8 p. eng acq: record only Source: Medline

80

Butler, Tony G.; et al.

Hepatitis B and C in New South Wales prisons: prevalence and risk factors
Medical Journal of Australia, 166(3): 127-130, 1997
4 p. eng acq: 1027

81

Miedzinski, L.; Reese, H.; Houston, S.; Romanowski, B.; Shafran, S.; Taylor, G.
International Conference on AIDS (1996, 7-12 July)

Hepatitis B and C infection in HIV-infected Albertans

[Edmonton, AB : the Authors, 1996].
eng acq: ordered

82

Gully, Paul R.; Tepper, Martin L.

Hepatitis C

Canadian Medical Association Journal, 156(10): 1427-1430, 1997
4 p. eng acq: 8256

83

Liddle, C.

Hepatitis C

Anaesthesia and Intensive Care, 24(2): 180-183, 1996
4 p. eng acq: 939

84

Lowe, David; Cotton, Ruth

Hepatitis C: a review of Australia's response

Canberra, Australia : Commonwealth Department of Health and Aged Care, 1999.
213 p. eng acq: 1307

85

Reindollar, Robert W.

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

Hepatitis C and the correctional population

American Journal of Medicine, 107(6B): 100S-1003S, 1999

4 p. eng acq: 986

86

Hepatitis C and the history of injecting drug use in South Australia

Medical Journal of Australia, 161(4): 286, 1994

1 p. eng acq: 1029

87

Carruthers, Susan; Loxley, Wendy

Hepatitis C and young drug users

Perth, Australia : National Centre for Research into the Prevention of Drug Abuse, 1994.

iii, 53 p. eng acq: 4762

88

Carruthers, S.; Loxley, W.

Hepatitis C and young drug users: are they about to join the epidemic?

Australian Journal of Public Health, 19(4): 421-424, 1995

4 p. eng acq: record only Source: Medline

89

Tranchina, J.

Hepatitis C epidemic

Harm Reduction Communication, Spring: 22-23, 1998

2 p. eng acq: record only Source: IDA

90

Smyth, R.; et al.

Hepatitis C infection among injecting drug users attending the National Drug Treatment Centre

Irish Journal of Medical Science, 164(4): 267-268, 1995

2 p. eng acq: 964

91

Crofts, Nick

Hepatitis C infection among injecting drug users: where do we go from here?

Addiction, 92(8): 999-1005, 1997

7 p. eng acq: record only Source: IDA

92

Correll, P.K.; McDonald, M.; Dore, G.J.

Hepatitis C infection in Indigenous communities in Australia

Sydney, Australia : National Centre in HIV Epidemiology and Clinical Research, 1999.

eng acq: record only Source: Aus Indig db

93

Chetwynd, Jane; Brunton, Cheryl; et al.

Hepatitis C seroprevalence amongst injecting drug users attending a methadone program

New Zealand Medical Journal, 108(1007): 364-366, 1995

3 p. eng acq: 953

94

Sladden, Tim J.; et al.

Hepatitis C transmission on the north coast of New South Wales: explaining the unexplained

Medical Journal of Australia, 166(6): 290-293, 1997

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

4 p. eng acq: 1034

95

MacDonald, Margaret A.; et al.

Hepatitis C virus antibody prevalence among injecting drug users at selected needle and syringe programs in Australia, 1995-1997

Medical Journal of Australia, 172(2): 57-61, 2000

11 p. eng acq: 1288

96

Heintges, Tobias; Wands, Jack R.

Hepatitis C virus: epidemiology and transmission

Hepatology, 26(3): 521-526, 1997

6 p. eng acq: 1022

97

Crofts, Nick; et al.

Hepatitis C virus infection among a cohort of Victorian injecting drug users

Medical Journal of Australia, 159(4): 237-241, 1993

5 p. eng acq: 1024

98

Fisher, Dennis G.; et al.

Hepatitis C virus infection among Alaskan drug users

American Journal of Public Health, 87(10): 1722-1724, 1997

3 p. eng acq: 971

99

Chang, Chai-Jan; et al.

Hepatitis C virus infection among short-term intravenous drug users in southern Taiwan

European Journal of Epidemiology, 15(7): 597-601, 1999

5 p. eng acq: 941

100

Hershow, Ronald C.; et al.

Hepatitis C virus infection in Chicago women with or at risk for HIV infection: evidence for sexual transmission

Sexually Transmitted Diseases, 25(10): 527-532, 1998

6 p. eng acq: 1036

101

Woodfield, D.G.; Harness, M.; Rix-Trott, K.

Hepatitis C virus infections in oral and injectable drug users

New Zealand Medical Journal, 106(961): 332-334, 1993

3 p. eng acq: record only Source: Medline

102

Hagan, H.

Hepatitis C virus transmission dynamics in injection drug users

Substance Use & Misuse, 33(5): 1197-1212, 1998

16 p. eng acq: record only Source: Medline

103

Wodak, Alex

Hepatitis C: waiting for the Grim Reaper [editorial]

Medical Journal of Australia, 166(6): 290-293, 1997

2 p. eng acq: 1025

104

Ogilvie, Elaine L.; et al.

Hepatitis infection among adolescents resident in Melbourne Juvenile Justice Centre: risk factors and challenges

Journal of Adolescent Health, 25(1): 46-51, 1999

6 p. eng acq: 945

105

The Lindesmith Center

Heroin maintenance treatment: research summary

New York, NY : The Lindesmith Center, 1998.

28 p. eng acq: 7969 Source: CCSADOCS

106

Metrebian, Nicky; Shanahan, William; Stimson, Gerry V.

Heroin prescribing in the United Kingdom: an overview

European Addiction Research, 2: 194-200, 1996

7 p. eng acq: 7653 Source: CCSADOCS

107

de Burger, Ron

Heroin substitution in Canada: a necessary public health intervention? [editorial] = Programmes de substitution de l'héroïne au Canada: une intervention de santé publique nécessaire? [editorial]

Canadian Journal of Public Health, 88(6): 365-366, 1997

1 p. = 1p. eng acq: 7513 Source: CCSADOCS

108

Kuksamikarulkul, P.; Plucktaweesak, S.

High Hepatitis C seroprevalence in Thai intravenous drug abusers and qualitative risk analysis

Southeast Asian Journal of Tropical Medicine and Public Health, 27(4): 654-658, 1996

5 p. eng acq: ordered

109

Diamantis, I.; et al.

High prevalence and coinfection rate of hepatitis G and C infections in intravenous drug addicts

Journal of Hepatology, 26(4): 794-797, 1997

4 p. eng acq: record only Source: Medline

110

van Haastrecht, Harry J.A.; Bax, Joke S.; van Den Hoek, Anneke (J.) A.R.

High rates of drug use, but low rates of HIV risk behaviours among injecting drug users during incarceration in Dutch prisons

Addiction, 93(9): 1417-1425, 1998

9 p. eng acq: 8349

111

Bruneau, Julie; et al.

High rates of HIV infection among injection drug users participating in needle exchange programs in Montreal: results of a cohort study

American Journal of Epidemiology, 146(12): 994-1002, 1997

9 p. eng acq: 7584 Source: CCSADOCS

112

Stark, Klaus; et al.

History of syringe sharing in prison and risk of hepatitis B virus, hepatitis C virus, and human immunodeficiency virus infection among injecting drug users in Berlin

International Journal of Epidemiology, 26(6): 1359-1366, 1997

7 p. eng acq: 978

113

National Task Force on HIV, AIDS and Injection Drug Use

HIV, AIDS and injection drug use: a national action plan

Ottawa, ON : Canadian Public Health Association, 1997.

43 p. eng acq: 6623 Source: CCSADOCS

114

Oscapella, E.

HIV/AIDS and injection drug use: a national (and rational) plan

Canadian Medical Association Journal, 148(7) 1173-1177, 1993

5 p. eng acq: record only Source: Medline

115

Jürgens, Ralf

HIV/AIDS in prisons: final report

Ottawa, ON: Canadian HIV/AIDS Legal Network, 1996 Ottawa, ON: Canadian AIDS Society, 1996.

[150 p.] eng acq: 7835 7835-2 Source: CCSADOCS

116

Coutinho, Roel A.

HIV and hepatitis C among injecting drug users

British Medical Journal, 317(7156): 424-425, 1998

2 p. eng acq: record only Source: IDA

117

Dwyer, R.; Blogg, J.; van Beek, I.

Annual Conference of the Australasian Society of HIV Medicine (1997, 13 -16 November)

HIV and hepatitis C virus risk taking behaviour among cocaine injecting drug users

[Sydney, Australia : The authors, 1997].

eng acq: record only Source: Medline

118

de Carvalho, Heráclito Barbosa; et al.

HIV and infections of similar transmission patterns in drug injectors community of Santos, Brazil

Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology, 12(1): 84-92, 1996

8 p. eng acq: 1019

119

Stratton, Elizabeth; et al.

World AIDS Conference (12th : 1998, June 28-July 1 : Geneva, Switzerland)

HIV, HBV and HCV and risk behaviours in a semi-rural community in Canada.

Ottawa, ON : The Authors, 1998.

19 p. eng acq: 8197

120

Millar, John S.

HIV, hepatitis and injection drug use in British Columbia: pay now or pay later?

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

Victoria, BC : Ministry of Health and Ministry Responsible for Seniors, 1998.
iv, 30 p. eng acq: 7799 7799-2

121

Hankins, C.; et al.

HIV infection among women in prison: an assessment of risk factors using a nonnominal methodology

American Journal of Public Health, 84(10): 1637-1640, 1994

4 p. eng acq: 8201 Source: CCSADOCS

122

Dolan, K.

HIV risk behavior of IDUs before, during and after imprisonment in New South Wales

Addiction Research, 4(2): 151-160, 1996

10 p. eng acq: record only Source: IDA

123

Klee, H.

HIV risks for women drug injectors: heroin and amphetamine users compared

Addiction, 88(8): 1055-1062, 1993

8 p. eng acq: record only Source: IDA

124

Romanowski, B.; et al.

International Society for STD Research Conference (11th : 1995, 27-30 August : New Orleans, LA)

Human immunodeficiency virus seroprevalence and risk behaviors in patients attending sexually transmitted disease clinics in Alberta

Sexually Transmitted Diseases, 24(8):487-94, 1997

8 p. eng acq: 8199

125

Belanger, Diane; et al.

World AIDS Conference (12th : 1998, June 28-July 1 : Geneva, Switzerland)

Identification of sub-groups at high risk of sharing needles among injection drug users participating in a needle-exchange program

[Québec, PQ : The Authors, 1998].

46 p. eng acq: 8192

126

Haydon, G.H.; et al.

The impact of chronic hepatitis C virus infection on HIV disease and progression in intravenous drug users

European Journal of Gastroenterology & Hepatology, 10(6): 485-489, 1998

5 p. eng acq: record only Source: Medline

127

Bluthenthal, R.N.; et al.

Impact of law enforcement on syringe exchange programs: a look at Oakland and San Francisco

Medical Anthropology, 18(1): 61-83, 1997

23 p. eng acq: record only Source: Medline

128

Alter, M.J.; Moyer, L.A.

The importance of preventing hepatitis C virus infection among injection drug users in the United States

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology, 18(suppl 1): S6-S10, 1998
5 p. eng acq: record only Source: Medline

129

Loxley, Wendy; Carruthers, Susan; Bevan, Jude

In the same vein: first report of the Australian study of HIV and injecting drug use (ASHIDU)

Perth, Australia : National Centre for Research into the Prevention of Drug Abuse, 1995.

222 p. eng acq: 6891

130

Villano, Stephen A.; et al.

Incidence and risk factors for hepatitis C among injection drug users in Baltimore, Maryland

Journal of Clinical Microbiology, 35(12): 3274-3277, 1997

4 p. eng acq: 975

131

Crofts, Nick; Aitken, Campbell K.

Incidence of bloodborne virus infection and risk behaviours in a cohort of injecting drug users in Victoria, 1990-1995

Medical Journal of Australia, 167(1): 17-20, 1997

4 p. eng acq: 985

132

Jones, T.S.; et al.

National HIV Prevention Conference (1999, August 29-September 1)

Increasing injection drug users access to sterile syringes through increased pharmacy sales

Atlanta, GA : The authors, 1999.

eng acq: record only Source: Medline

133

Larson, A.; Shannon, C.; Eldridge, C.

Indigenous Australians who inject drugs: results from a Brisbane study

Drug and Alcohol Review, 18(1): 53-62, 1998

10 p. eng acq: record only Source: Aus Indig db

134

Mercer, Delinda E.; Woody, George E.

An individual drug counseling approach to treat cocaine addiction: the Collaborative Cocaine Treatment Study Model

Rockville, MD : U.S. Department of Health and Human Services, 1999.

vii, 83 p. eng acq: 932 Source: CCSADOCS

135

van Beek, Ingrid; et al.

Infection with HIV and hepatitis C virus among injecting drug users in a prevention setting: retrospective cohort study

British Medical Journal, 317(15 August): 433-437, 1998

5 p. eng acq: 8187

136

Baozhang, T.; et al.

Infection with human immunodeficiency virus and hepatitis viruses in Chinese drug addicts

Epidemiology and Infection, 119(3): 343-347, 1997

5 p. eng acq: 977

137

Kemp, Robert; et al.

Injecting behaviours and prevalence of hepatitis B, C and D markers in New Zealand injecting drug user populations

New Zealand Medical Journal, 111(1060): 50-53, 1998

4 p. eng acq: 954

138

Hulse, Gary K.; Moore, Lisa L.; Lambert, Tim J.

Injecting drug use: a continuing and major vehicle for transmission of infection

Medical Journal of Australia, 159(2): 635-636, 1993

2 p. eng acq: 1023

139

Larson, A.; Currie, D.

Injecting drug use by Indigenous People in Brisbane: perspectives of service providers and the community

Brisbane, Australia : Australian Centre for International and Tropical Health and Nutrition, 1995.

eng acq: record only Source: Aus Indig db

140

Burrows, D.

Injecting equipment provision in Australia: the state of play

Substance Use & Misuse, 33(5): 1113-1127, 1998

16 p. eng acq: record only Source: Medline

141

Wodak, Alex

Injecting nation: achieving control of hepatitis C in Australia

Drug and Alcohol Review, 16(3): 275-284, 1997

10 p. eng acq: record only Source: IDA

142

Réseau juridique canadien VIH/sida

L'injection de drogue et le VIH/sida: questions juridiques et éthiques: documents de fond

Montréal, PQ : Réseau juridique canadien VIH/sida, 1999.

1 v. en paginations diverses fre acq: 885 Source: CCSADOCS

143

Roy, Élise; et al.

Injection drug use among street youth: a dynamic process

Canadian Journal of Public Health, 89(4): 239-240, 1998

2 p. eng acq: 7976 Source: CCSADOCS

144

Canadian HIV/AIDS Legal Network

Injection drug use and HIV/AIDS: legal and ethical issues: background papers

Montréal, PQ : Canadian HIV/AIDS Legal Network, 1999.

1 v. in various pagings eng acq: 886 Source: CCSADOCS

145

Smart, R. G.; Adlaf, E. M.; Porterfield, K.M.

Injection drug use and needle sharing among Ontario students

Canadian Journal of Public Health, 81(4): 295-296, 1990

2 p. eng acq: ordered

146

Verbaan, H.; Andersson, K.; Eriksson, S.

Intravenous drug abuse: the major route of hepatitis C virus transmission among alcohol-dependent individuals?

Scandinavian Journal of Gastroenterology, 28(8): 714-718, 1993

5 p. eng acq: record only Source: Medline

147

Central Committee on the Treatment of Heroin Addicts

Investigating the medical prescription of heroin

Utrecht, the Netherlands : Minister of Health, Welfare and Sports, 1997.

[140 p.] eng acq: 7483 Source: CCSADOCS

148

Turnbull, Paul

'Just using old works': injecting risk behavior in prison

Drug and Alcohol Review, 15(3): 251-260, 1996

10 p. eng acq: record only Source: IDA

149

Goldberg, D.; et al.

A lasting public health response to an outbreak of HIV infection in a Scottish prison?

International Journal of STD and AIDS, 9(1): 25-30, 1998

6 p. eng acq: record only Source: Medline

150

Gostin, Lawrence O.

Legal environment impeding access to sterile syringes and needles: conflict between law enforcement and public health

Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology, 18(Suppl 1): S60-S70, 1998

11 p. eng acq: record only Source: IDA

151

Lior, L.Y.; et al.

World AIDS Conference (12th : 1998, June 28-July 1 : Geneva, Switzerland)

A look behind closed doors: injection and sexual risk behaviour and HIV, HBV and HCV inside a Canadian prison

[Ottawa, ON : The Authors, 1998].

3 p. eng acq: 8191

152

Krausz, Michael; et al.

Maintenance treatment of opiate addicts in Germany with medications containing codeine: results of a follow-up study

Addiction, 93(8): 1161-1167, 1998

7 p. eng acq: 8354 Source: CCSADOCS

153

La Fondation de la recherche sur la toxicomanie

Le maintien à la méthadone: traitement de la dépendance aux opioïdes

Toronto, ON : La Fondation de la recherche sur la toxicomanie, 1996.

5 p. fre acq: 6392 Source: CCSADOCS

154

Millar, Anthony

Medical prescription of anabolic steroids

International Journal of Drug Policy, 7(1): 15-18, 1996

4 p. eng acq: record only Source: IDA

155

Brewer, Devon D.; et al.

A meta-analysis of predictors of continued drug use during and after treatment for opiate addiction

Addiction, 93(1) 73-92, 1998

20 p. eng acq: 7650 Source: CCSADOCS

156

Brands, Bruna; Brands, John (eds.)

Methadone maintenance: a physician's guide to treatment

Toronto, ON : Addiction Research Foundation, 1998.

[141 p.] eng acq: 7847 Source: CCSADOCS

157

Crofts, Nick; et al.

Methadone maintenance and hepatitis C virus infection among injecting drug users

Addiction, 92(8): 999-1005, 1997

7 p. eng acq: record only Source: Medline

158

Addiction Research Foundation

Methadone maintenance: treatment for opioid dependence

Toronto, ON: Addiction Research Foundation, 1996.

4 p. eng acq: 6391 6391-2 Source: CCSADOCS

159

Dolan, K.A.

Methadone maintenance treatment reduces heroin injection in New South Wales prisons

Drug and Alcohol Review, 17(2): 153-158, 1998

6 p. eng acq: record only Source: IDA

160

Alcohol and Other Drugs Council of Australia

Methadone treatment: an ADCA issues paper

Canberra, Australia : Alcohol and Other Drugs Council of Australia, 1998.

9 p. eng acq: 8023 Source: CCSADOCS

161

Riley, Diane

Le modèle de réduction des méfaits: une approche pragmatique sur l'utilisation des drogues aux confins entre l'intolérance et apathie

Ottawa, ON : Centre canadien de lutte contre l'alcoolisme et les toxicomanies, 1993.

15 p. fre acq: 5047 Source: CCSADOCS

162

Law, M.G.

Modelling the hepatitis C virus epidemic in Australia. Hepatitis C Virus Projections Working Group

Journal of Gastroenterology and Hepatology, 14(11): 1100-1107, 1999

8 p. eng acq: record only Source: Medline

163

Kamieniecki, Greg; et al.

Models of intervention and care for psychostimulant users

Canberra, Australia : Australian Government Publishing Services, 1998.

xi, 109 p. eng acq: 8447 Source: CCSADOCS

164

Peters, Andy; Davies, Tony; Richardson, Alison

Multi-site samples of injecting drug users in Edinburgh: prevalence and correlates of risky injecting practices

Addiction, 93(2) 253-267, 1998

15 p. eng acq: 7651

165

Peters, Richard; Dillon, Paul; Copeland, Jan

Muscle boundaries: a user's guide to steroids

Sydney, Australia : National Drug and Alcohol Research Centre, 1999.

30 p. eng acq: 801

166

Health Canada

National Consultation Meeting on Methadone Maintenance Treatment (19-20 February, 1998 : Ottawa, Ontario)

National Consultation Meeting on Methadone Maintenance Treatment

Ottawa, ON : Health Canada, 1998.

[50 p.] eng acq: 7794 Source: CCSADOCS

167

Commonwealth Department of Health and Family Services. National Drug Strategy Unit

National policy on methadone treatment

Canberra, Australia : Commonwealth of Australia, 1997.

vi, 30 p. eng acq: 8223 Source: CCSADOCS

168

Page, J.B.

Needle exchange and reduction of harm: an anthropological view

Medical Anthropology, 18(1): 13-33, 1997

21 p. eng acq: record only Source: Medline

169

Donald, A.; et al.

Annual Conference of the Australasian Society of HIV Medicine (1996, 14-17 November)

Needle exchange client information needs

[Sydney, Australia : The authors, 1996].

eng acq: record only Source: Medline

170

Strathdee, Steffanie; et al.

Needle exchange is not enough: lessons from the Vancouver injecting drug use study

AIDS, 11(8): F59-F65, 1997

7 p. eng acq: 7646

171

Coates, Randall A.

Needle sharing behaviour among injection drug users (IDUs) in treatment in Montreal and Toronto, 1988-1989

Canadian Journal of Public Health, 83(1): 38-41, 1992
4 p. eng acq: 2548

172

Taylor, Avril

Needlework: lifestyle of female drug injectors

Journal of Drug Issues, 28(1): 77-90, 1998
14 p. eng acq: record only Source: IDA

173

Wolfe, Ruth; Sykes, Barbara

Needleworks: prevention of HIV in injection drug users, Edmonton, Alberta: final report of evaluation

Edmonton, AB : Edmonton Board of Health, 1992.
54 p. eng acq: 4539 Source: CCSADOCS

174

Lane, J.

Nu-Hit: a report on an Aboriginal injecting drug user project 1992-1993

Adelaide, Australia : AIDS Council of South Australia, 1993.
eng acq: record only Source: Aus Indig db

175

Santolaria, F.J.

Nutritional assessment of drug addicts

Drug and Alcohol Dependence, , 38(1): 153-155, 1994
8 p. eng acq: record only Source: IDA

176

Wodak, A.

Once more unto the breach: controlling hepatitis C in injecting drug users

Addiction, 91(2): 181-184, 1996
4 p. eng acq: record only Source: IDA

177

Hubbard, Robert L.; et al.

Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS)

Psychology of Addictive Behaviors, 11(4): 261-278, 1997
18 p. eng acq: 8132 Source: CCSADOCS

178

Shewan, D.

Patterns of injecting and sharing in a Scottish prison

Drug and Alcohol Dependence, 39(3): 237-243, 1995
7 p. eng acq: record only Source: IDA

179

Vida-Treca, Gwenaëlle; et al.

Patterns of sexual and injecting risk behaviours in French intravenous drug users not reporting HIV and hepatitis C virus seropositivities

Addiction, 93(11): 1657-1668, 1998
12 p. eng acq: 1006

180

Loxley, Wendy M.

'Petunias too, please': further thoughts on achieving control of hepatitis C in Australia

Drug and Alcohol Review, 16(3): 285-286, 1997

2 p. eng acq: record only Source: IDA

181

Schneeberger, Pascal

Portrait émergent des consommateurs d'héroïne au Québec

Québec, PQ : Gouvernement du Québec, 1999.

49 p. fre acq: 315

182

American Psychiatric Association

Practice guideline for the treatment of patients with substance use disorders: alcohol, cocaine, opioids.

American Journal of Psychiatry, Supplement 152(11), 1995

116 p. eng acq: 8174 Source: CCSADOCS

183

Roy, Élise; et al.

World AIDS Conference (12th : 1998, June 28-July 1 : Geneva, Switzerland)

Predictors of initiation of injection drug use in a street youth cohort

Montréal, PQ : The Authors, 1998.

1 p. eng acq: 8205

184

McCusker, Chris; Davies, Mark

Prescribing drug of choice to illicit heroin users: the experience of a U.K. community drug team

Journal of Substance Abuse Treatment, 13(6): 521-531, 1998

11 p. eng acq: 7607 Source: CCSADOCS

185

Sell, Louise; Farrell, Michael; Robson, Philip

Prescription of diamorphine, dipipanone and cocaine in England and Wales

Drug and Alcohol Review, 16: 221-226, 1997

6 p. eng acq: 7628 Source: CCSADOCS

186

Garfein, Richard S.; et al.

Prevalence and incidence of hepatitis C virus infection among young adult injection drug users

Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology, 18(Suppl 1): S11-19, 1998

9 p. eng acq: 951

187

Oliveira, M.L.A.; et al.

Prevalence and risk factors for HBV, HCV and HDV infections among injecting drug users from Rio de Janeiro, Brazil

Brazilian Journal of Medical and Biological Research, 32(9): 1107-1114, 1999

8 p. eng acq: 942

188

Keighan, Solange

La prévalence des conduites de risque chez les toxicomanes utilisateurs de drogues intraveineuses et les toxicomanes non-utilisateurs de drogues intraveineuses

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

Montréal, PQ : Recherche et Intervention sur les Substances Psychoactives -Québec, 1994.
x, 75 p. fre acq: 5038 Source: CCSADOCS

189

Gore, S.M.; Bird, A.G.; et al.

Prevalence of hepatitis C in prisons: WASH-C surveillance linked to self-reported risk behaviours

Quarterly Journal of Medicine, 92(1): 25-32, 1999

8 p. eng acq: ordered

190

Nutter, J.

Preventing anabolic steroid use: guidelines and activities

Journal of Health Education, 28(6): 364-369, 1997

6 p. eng acq: record only Source: IDA

191

Watson, Katrina J.R.

Preventing hepatitis C virus transmission in Australians who inject drugs [editorial]

Medical Journal of Australia, 172(1): 55-56, 2000

4 p. eng acq: 1279

192

Platt, Jerome J.

Problemsolving types among high-risk IDUs: potential treatment implications

Journal of Substance Abuse Treatment, 12(2): 103-109, 1995

7 p. eng acq: record only Source: IDA

193

Loxley, Wendy

National Conference on HIV/AIDS (4th : 1990, 8-11 August : Canberra, Australia)

Psychosocial antecedents of needle sharing and unsafe sexual practices in Australian injecting drug use: unsafe practices and perceptions of law enforcement

Perth, Australia : National Centre for Research into the Prevention of Drug Abuse, 1990.

7 p. eng acq: 1083

194

Hagan, Holly; et al.

Reduced risk of hepatitis B and hepatitis C among injection drug users in the Tacoma syringe exchange program

American Journal of Public Health, 85(11): 1531-1537, 1995

7 p. eng acq: 969

195

Siegal, Harvey A.

Reducing HIV needle risk behaviors among injection-drug users in the Midwest: an evaluation of the efficacy of standard and enhanced interventions

AIDS Education and Prevention, 7(4): 308-319, 1995

12 p. eng acq: record only Source: IDA

196

Ali, Robert; et al.

Report of the External Panel on the evaluation of the Swiss scientific studies of medically prescribed narcotics to drug addicts

Geneva, Switzerland : World Health Organization, 1999.

15 p. eng acq: 853 Source: CCSADOCS

197

Parliament of New South Wales. Joint Select Committee into Safe Injecting Rooms

Report on the establishment or trial of safe injecting rooms

Sydney, Australia : Parliament of New South Wales, 1998.

eng acq: 392 Source: CCSADOCS

198

The Lindesmith Center

Research brief: methadone maintenance treatment

New York, NY : The Lindesmith Center, 1997.

10 p. eng acq: 8382 Source: CCSADOCS

199

The Lindesmith Center

Research brief: needle & syringe availability

New York, NY : The Lindesmith Center, 1997.

11 p. eng acq: 8381 Source: CCSADOCS

200

Holmes, W.

Responding to hepatitis C: what do Aboriginal health services need to consider?

Aboriginal and Islander Health, 19(3): 4-7, 1995

eng acq: record only Source: Aus Indig db

201

Santé Canada

Réunion de consultation nationale sur le traitement d'entretien à la méthadone (19-20 février, 1998 : Ottawa, Ontario)

Réunion de consultation nationale sur le traitement d'entretien à la méthadone

Ottawa, ON : Santé Canada, 1998.

[52 p.] fre acq: 7795 Source: CCSADOCS

202

Health Canada. Laboratory Centre for Disease Control. Bureau of HIV/AIDS, STD and TB Update Series.

Risk behaviours among injection drug users in Canada

Ottawa, ON : Health Canada, 1998.

4 p. eng acq: 7992

203

Faugier, Jean

Risk behaviours and health care needs of drug-using female prostitutes (part I)

Journal of Substance Misuse, 2(3): 144-149, 1997

6 p. eng acq: record only Source: IDA

204

Serfaty, M.A.; et al.

Risk factors and medical follow-up of drug users tested for hepatitis C: can the risk of transmission be reduced?

Drug and Alcohol Review, 16(3): 275-284, 1997

10 p. eng acq: record only

205

Flamm, S.L.; Parker, R.A.; Chopra, S.

Risk factors associated with chronic hepatitis C virus infection: limited frequency of an unidentified

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

source of transmission

American Journal of Gastroenterology, 93(4): 597-600, 1998

4 p. eng acq: ordered

206

van Beek, Ingrid; et al.

Risk factors for hepatitis C virus infection among injecting drug users in Sydney

Genitourinary Medicine, 70(5): 321-324, 1994

5 p. eng acq: 963

207

Pallas, J.; et al.

Risk factors for mono-infections and co-infections with HIV, hepatitis B and hepatitis C viruses in northern Spanish prisoners

Epidemiology and Infection, 123(1): 95-102, 1999

8 p. eng acq: 987

208

Ward, Jeff; Hall, Wayne; Mattick, Richard P.

Role of maintenance treatment in opioid dependence

The Lancet, 353(9148): 221-226, 1999

6 p. eng acq: 422 Source: CCSADDOCS

209

Riley, Diane

The role of methadone in the treatment of opiate dependence

Ottawa, ON : Canadian Centre on Substance Abuse, 1991.

11 p. eng acq: 4645 Source: CCSADDOCS

210

National Workshop on HIV, Alcohol and Other Drug Use (2nd : 1994, 6-9 February : Edmonton, AB)

Second National Workshop on HIV, Alcohol and Other Drug Use: proceedings

Ottawa, ON : Canadian Centre on Substance Abuse, 1994.

127 p. eng acq: 5567 5567-2 Source: CCSADDOCS

211

The Fraser Institute

Sensible Solutions to the Urban Drug Problem: a Fraser Institute Conference (1998, 27 March :

Vancouver, BC)

Sensible Solutions to the Urban Drug Problem: conference proceedings

Vancouver, BC : Fraser Institute, 1998.

1 v. in various pagings eng acq: 8309 8309-2 Source: CCSADDOCS

212

Massad, E.; et al.

Seroprevalence of HIV, HCV and syphilis in Brazilian prisoners: preponderance of parental transmission

European Journal of Epidemiology, 15(5): 439-445, 1999

7 p. eng acq: 944

213

Loxley, Wendy; Bevan, Jude; Carruthers, Susan

Sex, gender, drugs and risk: the Australian study of HIV and injecting drug use

International Journal of Drug Policy, 9(4): 255-262, 1998

8 p. eng acq: 8341

214

Jones, A.B.S.

Sexual minority needle users

In: Leukefeld, C.G.; Battjes, Z. Amsel (eds.). AIDS and intravenous drug use: future directions for community-based prevention research. Rockville, MD : U.S. Department of Health and Human Services, 1990. p. 108-119.

12 p. eng acq: record only Source: IDA

215

Stimson, Gerry V.; et al.

A short questionnaire (IRQ) to assess injecting risk behaviour

Addiction, 93(3): 337-347, 1998

11 p. eng acq: 7599 Source: CCSADOCS

216

Cobler-Micola, Anja; et al.

Social characteristics of participants in Swiss multicenter opiate trials at time of entry: preliminary results

Zurich, Switzerland : Institute of Social and Preventive Medicine, 1994.

15 p. eng acq: 6633 Source: CCSADOCS

217

Palepu, Anita; et al.

The social determinants of emergency department and hospital use by injection drug users in Canada

Journal of Urban Health, 76(4): 409-418, 1999

10 p. eng acq: 973

218

Strathdee, S.A.; et al.

Social determinants predict needle-sharing behaviour among injection drug users in Vancouver, Canada

Addiction, 92(10): 1339-1347, 1997

9 p. eng acq: 8231

219

Crofts, Nick; et al.

Spread of bloodborne viruses among Australian prison entrants

British Medical Journal, 310(4 February): 285-288, 1995

4 p. eng acq: 694

220

Wignell, Joan

[Winter School in the Sun (1994)]

Steroid users the unrecognized HIV risks

Brisbane, Australia : Joan Wignell, 1995.

[13 p.] eng acq: 7426

221

Malliori, M.

Survey of bloodborne viruses and associated risk behaviours in Greek prisons

Addiction, 93(2) 243-251, 1998

9 p. eng acq: record only Source: IDA

222

Ruel, J.-M.; Hickey, C.P.

Survey of methadone patients in Canada

Canadian Journal of Public Health, 81(July/August): 272-274, 1990

3 p. eng acq: 5405

223

Edwards, A.; Curtis, S.; Sherrard, J.

Survey of risk behaviour and HIV prevalence in an English prison

International Journal of STD and AIDS, 10(7): 464-466, 1999

3 p. eng acq: 943 Source: CCSADOCS

224

Swiss Federal Office of Public Health

The Swiss drug policy: a fourfold approach with special consideration of the medical prescription of narcotics

Bern, Switzerland : Swiss Federal Office of Public Health, 1999.

11 p. eng acq: 8303 Source: CCSADOCS

225

Aeschbach, Ernst

Swiss heroin trials

Zurich, Switzerland : The Author, 1998.

16 p. eng acq: 8441 Source: CCSADOCS

226

Hagan, Holly; et al.

Syringe exchange and risk of infection with hepatitis B and C viruses [and comments]

American Journal of Epidemiology, 149(3): 203-216, 1999

11 p. eng acq: 946

227

Voth, E.A.

Syringe exchange and risk of infection with hepatitis B and C viruses [letter]

American Journal of Epidemiology, 151(2): 207-208, 2000

2 p. eng acq: 1153

228

Weber, U.; Schneider, W.

Syringe exchange in Germany

Substance Use & Misuse, 33(5): 1093-1112, 1998

10 p. eng acq: record only Source: Medline

229

Rawson, Richard A. (chair)

Treatment for stimulant use disorders

Rockville, MD : U.S. Department of Health and Human Services, 1999.

xxiii, 226 p. eng acq: 271 Source: CCSADOCS

230

Carroll, Kathleen, M.; et al.

Treatment of cocaine and alcohol dependence with psychotherapy and Disulfiram

Addiction, 93(5): 713-728, 1998

16 p. eng acq: 8142 Source: CCSADOCS

231

McCann, Michael J.; et al.

Treatment of opiate addiction with methadone: a counselor manual

Rockville, MD : U.S. Department of Health and Human Services, 1994.

[190 p.] eng acq: 5171 Source: CCSADOCS

232

De Villaer, Michael; Smye, Vicki

Understanding injection drug users: the first step in planning needle exchange programs

Toronto, ON : The Addiction Research Foundation, 1994.

29 p. eng acq: 6824

233

Hilton, Ann; Thompson, Ray; Moore-Dempsey, Laura

Urban outpost nursing: taking one step at a time

[Vancouver, BC : University of British Columbia, 1999].

19 p. eng acq: 1302

234

Emmanuelli, J.

Usage des drogues, sexualité, transmission des virus VIH, hépatites B et C et réduction des risques en prison à travers le monde. État des lieux et mise en perspective. Revue de littérature

Saint-Maurice, France : Réseau National de Santé Publique, 1997.

28 p. fre acq: record only Source: REITOX

235

Health and Welfare Canada. Bureau of Dangerous Drugs

The use of opioids in the management of opioid dependence: Drugs Directorate guidelines =

L'utilisation des opioïdes dans le traitement de la dépendance aux opioïdes: directives de la

Direction des médicaments

Ottawa, ON: Minister of Supply and Services Canada, 1992.

ii , 17 p. bil acq: 3799 3799-2 Source: CCSADOCS

236

Sylvan, S.; Gustavsson, M.; Christenson, B.

Utvardering av smittskyddslag en: tvangsisolering kan minska HIV-smittades hogriskbeteende

Lakartidningen, 96(28-29): 3244-3247, 1999

4 p. swe acq: record only Source: Medline

237

Lehmann, Clarke T.; Frances, R. (eds.)

Victorian Aboriginal Health Service Cooperative Ltd Injecting Drug Use Project

Health Promotion Journal of Australia, 8(1): 51-54, 1998

4 p. eng acq: record only Source: Aus Indig db

238

Groupe de travail national sur le VIH, le sida et l'usage de drogues par injection

Le VIH, le sida et l'usage de drogues par injection: un plan d'action national

Ottawa, ON : Association canadienne de santé publique, 1997.

44 p. fre acq: 6624 Source: CCSADOCS

239

Patti, A.M.; et al.

Viral hepatitis and drugs: a continuing problem

International Journal of Epidemiology, 22(1): 135-139, 1993

Centre canadien de lutte contre l'alcoolisme et les toxicomanies

5 p. eng acq: 1017

240

Garfein, Richard S.; et al.

Viral infections in short-term injection drug users: the prevalence of the hepatitis C, Hepatitis B, Human Immunodeficiency, and Human T-Lymphotropic viruses

American Journal of Public Health, 86(5): 655-661, 1996

7 p. eng acq: 8185

241

Larson, A.

What injectors say about drug use: preliminary findings from a survey of indigenous injecting drug users

Brisbane, Australia : Australian Centre for International and Tropical Health and Nutrition, 1996.

eng acq: record only Source: Aus Indig db

242

Nadeau, Louise

International Conference on the Reduction of Drug Related Harm (5th : 1994, 6-10 March : Toronto)

Withdrawal, despair, myth and love: a typology of risk taking contexts for drug dependent women

International Newsletter: Network of Women and Drugs, 1(November): 22-28, 1994

7 p. eng acq: 5743

243

Whynot, Elizabeth M.

Women who use injection drugs: the social context of risk

Canadian Medical Association Journal, 159(4): 355-358, 1998

9 p. eng acq: 7988

244

Loxley, Wendy

Young injecting drug users and the risk of HIV/AIDS: psycho-social and environmental constraints on safer drug using and sexual behaviour

Perth, Australia : National Centre for Research into the Prevention of Drug Abuse, 1998.

xiv, 315 p. eng acq: 8228 Source: CCSADOCS

245

Loxley, Wendy

Youth and HIV/AIDS: a review

Perth, Australia : Curtin University of Technology, 1993.

38 p. eng acq: record only