

CASE NUMBER: 04F-24-A3.3-17

DATE: Mar 21, 2004

HISTOPATHOLOGY:

Slide 139, A3.3-17-1:

There are no overt lesions within the spleen, kidney, liver, or heart.

Slide 140, A3.3-17-2:

There are no overt lesions within the spleen, kidney, liver, or heart.

Slide 141, A3.3-17-3:

1). Kidney, tubules: Ectasia, mild to moderate, diffuse

There are no overt lesions within the spleen, liver, or heart.

Slide 142, A3.3-17-4:

1). Kidney: Nephritis, tubulointerstitial, moderate, focally extensive, fibrosing, chronic with scattered intratubular deposits

There are no overt lesions within the spleen, liver, or heart.

Slide 143, A3.3-17-5:

1). Spleen, capsule: Peritonitis, moderate, focal, granulomatous, chronic

There are no overt lesions within the spleen, kidney, liver, or heart.

Slide 144, A3.3-17-6:

There are no overt lesions within the spleen, kidney, liver, or heart.

Slide 145, A3.3-17-7:

There are no overt lesions within the spleen, kidney, liver, or heart.

Slide 146, A3.3-17-8:

There are no overt lesions within the spleen, kidney, liver, or heart.

COMMENTS:

Although tubular ectasia (dilation) and nephrocalcinosis were noted in 1 slide each, the changes are considered incidental and would not have contributed significantly to antemortem morbidity. The granulomatous peritonitis features intralesional clear microcavitations consistent with adjuvant and this process most likely reflects resolving or post vaccination peritonitis.

FINAL REPORT