



VETERINARY HEALTH CERTIFICATE  
BOVINE SEMEN TO KENYA

SECTION I

- i) Country of origin: CANADA
- ii) Issuing Authority: CANADIAN FOOD INSPECTION AGENCY  
GOVERNMENT OF CANADA
- iii) Region: \_\_\_\_\_
- iv) Name of Consignor: \_\_\_\_\_  
Address: \_\_\_\_\_  
\_\_\_\_\_
- v) Name of Consignee: \_\_\_\_\_  
Address: \_\_\_\_\_  
\_\_\_\_\_

SECTION II

- i) Name of A.I. Centre (where semen collected) and approval number: \_\_\_\_\_  
\_\_\_\_\_
- Address \_\_\_\_\_  
\_\_\_\_\_

SECTION III

I, the undersigned Official Veterinarian duly authorized by the Government of Canada, do certify that:

1. The semen referred to above was collected at the above artificial insemination centre which is licensed by the Canadian Food Inspection Agency and is under supervision of an approved veterinarian.
2. No outbreaks of foot-and-mouth disease or vesicular stomatitis have occurred at, or within, twenty (20) kilometers of the said insemination centre during the twelve (12) months immediately preceding the date on which the semen for export was collected.
3. The animals in the insemination centre have not been vaccinated against foot-and-mouth disease within the three (3) months preceding the date of collection.
4. The donor bulls:
  - a) had been continually resident at the approved A.I. centre, or at another approved A.I. centre, for a period of at least one (1) month prior to collection of the semen for export to Kenya and in that time had not been used for natural mating;
  - b) were clinically healthy and clinically free from diseases which are transmitted via semen;
  - c) had been tested for tuberculosis with negative results within the twelve (12) months preceding the date of collection;
  - d) had been tested for *Trichomonas foetus* with negative results, using culture and direct microscopic examination on one (1) sheath washing taken from them during the three (3) months preceding the date of collection;
  - e) had been tested for *Campylobacter fetus* with negative results, using culture examination on one (1) sheath washing taken from them during the three (3) months preceding the date of collection;
  - f) had been tested serologically for *Leptospira* serotypes prevalent in cattle in Canada with negative results within the three (3) months preceding the date of collection or the donor animal was injected twice with streptomycin at 25 mg/kg body weight at fourteen (14) day intervals, with the second injection given on the day of the first collection of semen for export;

- g) had been tested serologically for brucellosis with negative results within the three (3) months preceding the date of collection;
- h) had been tested serologically for IBR/IPV with negative results using the ELISA test **or** representative samples of semen collected from the donor bull while resident in the centre have been examined for IBR/IPV by tissue culture inoculation with negative results on two (2) passages;
- i) had been tested serologically for enzootic bovine leucosis with negative results using the AGID or ELISA test within the three (3) months preceding the date of collection;
- j) had been tested with negative results for bovine viral diarrhoea using the immunoperoxidase test within the three (3) months preceding the date of collection, or had been tested for bovine viral diarrhoea according to the article 3.2.1.5 of the OIE Terrestrial Animal Health Code and the Canadian Artificial Insemination program;

**NOTE: In the case of donor bulls continuously resident at the A.I. centre for longer periods than three (3) months, testing for the disease conditions mentioned above as applicable is acceptable provided the tests were performed at the A.I. centre during this period of residence and not more than twelve (12) months prior to the date of collection.**

- k) originate from Canada or the United States, where BSE is compulsory notifiable in accordance with OIE standards;
  - l) for the three (3) years preceding the date of collection, had been maintained in a semen collection centre in which no clinical evidence of Johne's disease has occurred and had been subjected to a serological test for paratuberculosis every twelve (12) months while in the centre;
5. The semen has been adequately, securely and hygienically packed in flasks which were cleansed and disinfected and containing unused cryogenic material, sealed under veterinary supervision and conveyed by air to Kenya.

REFERENCE NUMBER: \_\_\_\_\_

**SECTION IV- Animal Identification:**

DONOR NAME	BREED	REGISTRATION NUMBER	BULL CODE	COLLECTION DATE	NUMBER OF STRAWS

**Total number of straws in consignment:** \_\_\_\_\_

**Markings on official seal placed on shipping containers:** \_\_\_\_\_

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature of Official Veterinarian  
Canadian Food Inspection Agency  
Government of Canada

\_\_\_\_\_  
Official Export Stamp

\_\_\_\_\_  
Name of Official Veterinarian